

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 1 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
1		Aristolochic Acids (naturally occurring mixtures)	n.o.s.		I-2A
2	0-02-0	✓ Betel quid with tobacco	n.o.s.		I-1, CP65
3	0-03-0	Bracken Fern	n.o.s.		I-2B, CP65
4	0-04-0	Coffee (urinary bladder only)	G	n.o.s.	I-2B
5	0-05-0	✓ Copper (II) Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
6	0-06-0	Diaminotoluene (mixed)	n.o.s.		CP65
7	0-07-0	2,4-/2,6-Dinitrotoluene (mixture)	S	27 ppb TLV {0.2 mg/m ³ }	CP65
8	0-08-0	✓ Lithium Bichromate Dihydrate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
9	0-09-0	Methylmercury compounds		0.01 mg/m ³ PEL	I-2B, CP65
10	0-10-0	Non-Arsenical Insecticides (occ. exposures in spraying and application of)	I	n.o.s.	I-2A
11	0-11-0	✓ Talc (containing asbestos fibers)	I	0.1 f/cc PEL	O, G-A1, I-1, N-1, CP65
12	0-12-0	Chlorophenoxy Herbicides	S	10 mg/m ³ PEL	I-2B
13	0-13-0	<i>alpha</i> -Chlorinated Toluenes and Benzoyl Chloride (combined exposures)	n.o.s.		I-2A
14	0-14-0	Polychlorophenols (and their sodium salts) (mixed exposure)	n.o.s.		I-2B
15	0-15-0	Polychlorinated Dibenzo- <i>p</i> -dioxins	n.o.s.		CP65
16	0-16-0	Polychlorinated Dibenzofurans	n.o.s.		CP65
17	0-17-0	Benzidine-based Dyes	n.o.s.		I-2A, CP65
18	0-18-0	✓ Dyes that metabolize to benzidine	IS	n.o.s.	N-1
19	0-19-0	Androgenic (anabolic) steroids		n.o.s.	I-2A
20	0-20-0	Estrogens, Conjugated (Indirect)	SG	n.o.s.	CP65
21	0-21-0	✓ Estrogens, Nonsteroidal and Steroidal	SG	n.o.s.	I-1
22	0-22-0	✓ Oestrogens, Nonsteroidal and Steroidal	SG	n.o.s.	I-1
23	0-23-0	✓ Estrogens, Steroidal	SG	n.o.s.	N-1
24	0-24-0	Progesterins	n.o.s.		I-2B
25	0-25-0	✓ Analgesic Mixtures Containing Phenacetin	n.o.s.		I-1, N-1, CP65
26	0-25-0	✓ Phenacetin contained in analgesic mixtures	n.o.s.		I-1, N-1, CP65
27	0-26-0	? Synthetic Vitreous Fibers (<i>see</i> glasswool, rockwool, slagwool)	IS	5 mg/m ³ PEL (respirable) {0.2 f/cc TLV}	G-A2, I-2B, N-2
28	0-27-0	Glasswool (CP65: airborne particles of respirable size)	IS	5 mg/m ³ PEL (respirable) {1 f/cc TLV}	G-A3, I-2B, N-2, CP65
29	0-28-0	Rockwool	I	5 mg/m ³ PEL (respirable) {1 f/cc TLV}	G-A3, I-2B
30	0-29-0	Slagwool	I	5 mg/m ³ PEL (respirable) {1 f/cc TLV}	G-A3, I-2B
31	0-30-0	Special-purpose fibers (such as E-glass and '475' glass fibers)		1 f/cc TLV	G-A3, I-2B
32	0-31-0	Diesel Fuel, Marine	S	100 mg/m ³ TLV	G-A3, I-2B
33	0-32-0	Diesel Engine Exhaust	I	n.o.s.	I-2A, N-2, CP65
34	0-33-0	Engine Exhaust, Gasoline (condensates/extracts)	I	n.o.s.	I-2B, CP65
35	0-33-0	Gasoline Engine Exhaust (condensates/extracts)	I	n.o.s.	I-2B, CP65
36	0-34-0	Gasoline, Unleaded (wholly vaporized)	I	n.o.s.	G-A3, I-2B, CP65
37	0-34-0	Unleaded Gasoline (wholly vaporized)	I	n.o.s.	G-A3, I-2B, CP65
38	0-35-0	PAH {Polycyclic Aromatic Hydrocarbon(s); <i>see</i> 15 specific chemicals}	I	0.2 mg/m ³ PEL	N-2, CP65
39	0-35-0	Polycyclic Aromatic Hydrocarbon(s) {PAH; <i>see</i> 15 specific chemicals}	I	0.2 mg/m ³ PEL	N-2, CP65
40	0-36-0	✓ Soot extracts (containing PAHs)	ISG	n.o.s.	N-1, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 2 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
41	0-37-0	✓ Soots {PAH}	ISG	n.o.s.	I-1, N-1, CP65
42	0-38-0	Carbon Black extracts (benzene solvent) {PAH}		n.o.s.	I-2B, CP65
43	0-39-0	✓ Coke Oven Emissions {PAH}	IS	150 µg/m ³ PEL	O, I-1, N-1, CP65
44	0-40-0	✓ Tars	I	n.o.s.	N-1, CP65
45	0-41-0	✓ Coal Gasification	I	n.o.s.	I-1
46	0-42-0	✓ Tobacco Smoke	I	n.o.s.	I-1, N-1, CP65
47	0-43-0	✓ Involuntary Smoking	I	n.o.s.	I-1
48	0-44-0	✓ Tobacco Products, Smokeless	S	n.o.s.	I-1, N-1, CP65
49	0-45-0	Welding Fumes	I	5 mg/m ³ TLV	I-2B
50	0-46-0	✓ Wood Dust	I	0.5 mg/m ³ TLV ^G (inhaled fraction)	I-1, N-1
51	0-47-0	✓ Wood Dust [beech & oak]	I	0.5 mg/m ³ TLV ^G (inhaled fraction)	G-A1
52	0-48-0	? Wood Dust [birch, mahogany, walnut & teak] ^C	I	0.5 mg/m ³ TLV ^G (inhaled fraction)	G-A2
53	0-49-0	✓ Strong Inorganic Acid Mists Containing Sulfuric Acid (occ. exposure to)	IS	0.2 mg/m ³ TLV ^G (thoracic fraction)	G-A2, I-1, N-1, CP65
54	0-49-0	✓ Sulfuric Acid Mist (occ. exposure to strong inorganic acid mists)	IS	0.2 mg/m ³ TLV ^G (thoracic fraction)	G-A2, I-1, N-1, CP65
55	0-50-0	✓ Isopropyl Alcohol Manufacture (strong-acid process)	IS	n.o.s.	I-1, N-1
56	0-51-0	✓ Solar Radiation, as UV radiation	S	n.o.s.	I-1, N-1
57	0-52-0	✓ Broad Spectrum Ultraviolet Radiation	S	n.o.s.	N-1
58	0-52-0	✓ Ultraviolet Radiation – Broad Spectrum	S	n.o.s.	N-1
59	0-53-0	Ultraviolet–A Radiation {UV–A @ 315-400 nm}	S	n.o.s.	I-2A, N-2
60	0-54-0	Ultraviolet–B Radiation {UV–B @ 280-315 nm}	S	n.o.s.	I-2A, N-2
61	0-55-0	Ultraviolet–C Radiation {UV–C @ 100-280 nm}	S	n.o.s.	I-2A, N-2
62	0-56-0	✓ Sunlamps and sunbeds, use of [as UV radiation]	S	n.o.s.	I-2A, N-1
63	0-57-0	✓ Gamma Radiation		n.o.s.	I-1
64	0-58-0	✓ Neutrons		n.o.s.	I-1
65	0-59-0	✓ Radioiodines (short-lived isotopes including ¹³¹ I)		n.o.s.	I-1
66	0-60-0	✓ Radionuclides, <i>alpha</i> -particle-emitting (internally deposited)		n.o.s.	I-1, CP65
67	0-61-0	✓ Radionuclides, <i>beta</i> -particle-emitting (internally deposited)		n.o.s.	I-1, CP65
68	0-62-0	✓ X-Radiation		n.o.s.	I-1
69	0-63-0	Magnetic Fields (extremely low frequency)		n.o.s.	I-2B
70	0-64-0	✓ Aluminum Production	I	n.o.s.	I-1
71	0-65-0	✓ Auramine (manufacture of)		n.o.s.	I-1
72	0-66-0	✓ Hematite Mining (underground) with exposure to radon		n.o.s.	I-1
73	0-67-0	✓ Iron and Steel Founding	I	n.o.s.	I-1
74	0-68-0	✓ Magenta (manufacture of)		n.o.s.	I-1
75	0-69-0	Nickel Refinery Dust (from the pyrometallurgical process)		1.5 mg/m ³ TLV {inhaled fraction}	CP65
76	0-70-0	Art Glass, Glass Containers, and Pressed Ware (manufacture of)	I	n.o.s.	I-2A
77	0-71-0	✓ Boot and Shoe Manufacture and Repair		n.o.s.	I-1
78	0-72-0	Carpentry and Joinery	I	n.o.s.	I-2B
79	0-73-0	Dry Cleaning (occ. exposure in)		n.o.s.	I-2B
80	0-74-0	✓ Furniture and Cabinet Making	I	n.o.s.	I-1

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 3 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
81	0-75-0	Hairdresser or Barber (occ. exposure as a)	n.o.s.		I-2A
82	0-76-0	✓ Painter (occ. exposure as a)	n.o.s.		I-1
83	0-77-0	Petroleum Refining (occ. exposure in)	n.o.s.		I-2A
84	0-78-0	Printing Processes (occ. exposure in)	n.o.s.		I-2B
85	0-79-0	✓ Rubber Industry	n.o.s.		I-1
86	0-80-0	Textile Manufacturing Industry (work in)	n.o.s.		I-2B
87	50-00-0	✓ Formaldehyde [1910.1048]	IA	C 0.3 ppm TLV {C 0.37 mg/m ³ }	O, G-A2, I-2A, N-2, CP65
88	50-06-6	Phenobarbital	n.o.s.		I-2B, CP65
89	50-07-7	Mitomycin C	n.o.s.		I-2B, CP65
90	50-18-0	✓ Cyclophosphamide (anhydrous)	GJ	n.o.s.	I-1, N-1, CP65
91	50-28-2	✓ Estradiol-17B	SG	n.o.s.	I-1, N-2, CP65
92	50-29-3	DDT	IS	1 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
93	50-29-3	p,p'-DDT	IS	1 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
94	50-29-3	Dichlorodiphenyltrichloroethane	IS	1 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
95	50-29-3	1,1,l-Trichloro-2,2-bis(p-chlorophenyl)ethane	IS	1 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
96	50-32-8	?	Benzo[a]pyrene {PAH}	0.2 mg/m ³ PEL	G-A2, I-2A, N-2, CP65
97	50-32-8	?	PAH {Benzo[a]pyrene}	0.2 mg/m ³ PEL	G-A2, I-2A, N-2, CP65
98	50-55-5	Reserpine	n.o.s.		N-2, CP65
99	50-76-0	Actinomycin D	n.o.s.		CP65
100	51-52-5	Propylthiouracil	n.o.s.		I-2B, N-2, CP65
101	51-75-2	Mechlorethamine	n.o.s.		I-2A, N-2, CP65
102	51-75-2	N-Methyl-bis(2-chloroethyl) Amine	n.o.s.		I-2A, N-2, CP65
103	51-75-2	Nitrogen Mustard	n.o.s.		I-2A, N-2, CP65
104	51-79-6	Carbamic Acid, Ethyl Ester	n.o.s.		I-2B, N-2, CP65
105	51-79-6	Ethyl Carbamate	n.o.s.		I-2B, N-2, CP65
106	51-79-6	Urethane	n.o.s.		I-2B, N-2, CP65
107	52-01-7	Spironolactone	n.o.s.		CP65
108	52-24-4	✓ tris(1-Aziridinyl)phosphine Sulfide	n.o.s.		I-1, N-1, CP65
109	52-24-4	✓ Thiotepa	n.o.s.		I-1, N-1, CP65
110	52-76-6	Lynestrenol	n.o.s.		CP65
111	53-16-7	✓ Estrone	SG	n.o.s.	I-1, N-2, CP65
112	53-70-3	Dibenz[a,h]anthracene {PAH}	I	0.2 mg/m ³ PEL	I-2A, N-2, CP65
113	53-70-3	PAH {Dibenz[a,h]anthracene}	I	0.2 mg/m ³ PEL	I-2A, N-2, CP65
114	53-96-3	✓ 2-Acetylaminofluorene	IS	[1910.1003]	O, N-2, CP65
115	55-18-5	DEN	n.o.s.		I-2A, N-2, CP65
116	55-18-5	DiethylNitrosamine	n.o.s.		I-2A, N-2, CP65
117	55-18-5	NDEA	n.o.s.		I-2A, N-2, CP65
118	55-18-5	N-Nitrosodiethylamine	n.o.s.		I-2A, N-2, CP65
119	55-86-7	Mechlorethamine Hydrochloride	n.o.s.		N-2, CP65
120	55-86-7	Nitrogen Mustard Hydrochloride	n.o.s.		N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 4 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
121	55-98-1	✓ Busulfan.....	G.....	n.o.s.....	I-1, N-1, CP65
122	55-98-1	✓ 1,4-Butanediol Dimethylsulfonate	G.....	n.o.s.....	I-1, N-1, CP65
123	55-98-1	✓ Myleran®.....	G.....	n.o.s.....	I-1, N-1, CP65
124	56-04-2	Methylthiouracil	n.o.s.....	I-2B, CP65
125	56-23-5	? Carbon Tetrachloride.....	IS.....	5 ppm TLV {31.5 mg/m ³ }	G-A2, I-2B, N-2, CP65
126	56-23-5	? Tetrachloromethane.....	IS.....	5 ppm TLV {31.5 mg/m ³ }	G-A2, I-2B, N-2, CP65
127	56-49-5	3-Methylcholanthrene	n.o.s.....	CP65
128	56-53-1	✓ DES.....	G.....	n.o.s.....	I-1, N-1, CP65
129	56-53-1	✓ Diethylstilbestrol	G.....	n.o.s.....	I-1, N-1, CP65
130	56-55-3	? Benz[a]anthracene {PAH}	I.....	0.2 mg/m ³ PEL	G-A2, I-2A, N-2, CP65
131	56-55-3	? PAH {Benz[a]anthracene}	I.....	0.2 mg/m ³ PEL	G-A2, I-2A, N-2, CP65
132	56-75-7	Chloramphenicol	n.o.s.....	I-2A, N-2, CP65
133	57-14-7	1,1-Dimethylhydrazine.....	IS.....	0.01 ppm TLV {0.025 mg/m ³ }	G-A3, I-2B, N-2, CP65
134	57-14-7	UDMH	IS.....	0.01 ppm TLV {0.025 mg/m ³ }	G-A3, I-2B, N-2, CP65
135	57-41-0	Diphenylhydantoin	n.o.s.....	I-2B, N-2, CP65
136	57-41-0	Phenytoin	n.o.s.....	I-2B, N-2, CP65
137	57-57-8	✓ beta-Propiolactone.....	S.....	[1910.1003] {0.5 ppm TLV, 1.5 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
138	57-63-6	✓ Ethinylestradiol	SG.....	n.o.s.....	I-1, N-2, CP65
139	57-74-9	Chlordane	S.....	0.5 mg/m ³ PEL	G-A3, I-2B, CP65
140	57-83-0	Progesterone (Indirect).....	n.o.s.....	N-2, CP65
141	57-97-6	7,12-Dimethylbenz(a)anthracene	n.o.s.....	CP65
142	58-22-0	Testosterone (and its esters)	n.o.s.....	CP65
143	58-89-9	gamma-Hexachlorocyclohexane	S.....	0.5 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
144	58-89-9	Lindane	S.....	0.5 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
145	59-87-0	Nitrofurazone	n.o.s.....	CP65
146	59-89-2	N-Nitrosomorpholine	n.o.s.....	I-2B, N-2, CP65
147	59-96-1	Phenoxybenzamine	n.o.s.....	CP65
148	60-09-3	p-Aminoazobenzene	n.o.s.....	I-2B, CP65
149	60-11-7	✓ 4-Dimethylaminoazobenzene	S.....	[1910.1003]	O, I-2B, N-2, CP65
150	60-11-7	✓ p-Dimethylaminoazobenzene	S.....	[1910.1003]	O, I-2B, N-2, CP65
151	60-34-4	Methyl Hydrazine (and its salts)	S.....	0.01 ppm TLV {19 µg/m ³ }	G-A3, CP65
152	60-35-5	Acetamide	n.o.s.....	I-2B, CP65
153	60-57-1	Dieldrin	S.....	0.25 mg/m ³ PEL	CP65
154	61-57-4	Niridazole	n.o.s.....	I-2B, CP65
155	61-82-5	3-Amino-1,2,4-triazole	0.2 mg/m ³ PEL	G-A3, N-2, CP65
156	61-82-5	Amitrole	0.2 mg/m ³ PEL	G-A3, N-2, CP65
157	62-44-2	Phenacetin	n.o.s.....	I-2A, N-2, CP65
158	62-50-0	Ethyl Methanesulfonate	n.o.s.....	I-2B, N-2, CP65
159	62-53-3	Aniline	S.....	2 ppm TLV {7.6 mg/m ³ }	G-A3, CP65
160	62-55-5	Thioacetamide	n.o.s.....	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs®, IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.

^c ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 5 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
161		62-56-6 Thiourea	n.o.s.		N-2, CP65
162		62-73-7 DDVP	S	0.1 mg/m ³ TLV	I-2B, CP65
163		62-73-7 Dichlorvos	S	0.1 mg/m ³ TLV	I-2B, CP65
164	✓	62-75-9 N,N-Dimethylnitrosoamine	S	[1910.1003]	O, G-A3, I-2A, N-2, CP65
165	✓	62-75-9 DMN	S	[1910.1003]	O, G-A3, I-2A, N-2, CP65
166	✓	62-75-9 N-Nitrosodimethylamine	S	[1910.1003]	O, G-A3, I-2A, N-2, CP65
167		63-92-3 Phenoxybenzamine Hydrochloride	n.o.s.		I-2B, N-2, CP65
168		64-67-5 Diethylsulfate	n.o.s.		I-2A, N-2, CP65
169		66-27-3 Methyl Methanesulfonate	n.o.s.		I-2A, N-2, CP65
170		66-75-1 Uracil Mustard	n.o.s.		I-2B, CP65
171		67-45-8 Furazolidone	n.o.s.		CP65
172		67-66-3 Chloroform	IA	10 ppm TLV {48.9 mg/m ³ }	G-A3, I-2B, N-2, CP65
173		67-66-3 Trichloromethane	IA	10 ppm TLV {48.9 mg/m ³ }	G-A3, I-2B, N-2, CP65
174		67-72-1 Hexachloroethane	SG	1 ppm PEL {9.7 mg/m ³ }	G-A3, I-2B, N-2, CP65
175		68-22-4 Norethindrone	n.o.s.		I-2B, N-2, CP65
176		68-22-4 Norethisterone	n.o.s.		I-2B, N-2, CP65
177		68-23-5 Norethynodrel	n.o.s.		CP65
178		68-76-8 tris(Aziridinyl)- <i>p</i> -benzoquinone	n.o.s.		CP65
179		68-76-8 Triaziquone	n.o.s.		CP65
180		70-25-7 N-Methyl-N'-nitro-N-nitrosoguanidine	n.o.s.		I-2A, N-2, CP65
181		70-25-7 MNNG	n.o.s.		I-2A, N-2, CP65
182	✓	71-43-2 Benzene [1910.1028]	IS	0.5 ppm TLV {1.6 mg/m ³ }	O, G-A1, I-1, N-1, CP65
183		71-48-7 Cobalt (II) Acetate	I	0.02 mg/m ³ TLV	G-A3, I-2B
184		71-58-9 Medroxyprogesterone Acetate	n.o.s.		I-2B, CP65
185	✓	72-33-3 Mestranol	SG	n.o.s.	I-1, N-2, CP65
186		72-54-8 DDD	n.o.s.		CP65
187		72-54-8 Dichlorodiphenyldichloroethane	n.o.s.		CP65
188		72-55-9 DDE	n.o.s.		CP65
189		72-55-9 Dichlorodiphenyldichloroethylene	n.o.s.		CP65
190		72-57-1 C.I. Direct Blue 14	I	n.o.s.	I-2B, CP65
191		72-57-1 Trypan Blue (commercial grade)	n.o.s.		I-2B, CP65
192		74-88-4 Methyl Iodide	S	2 ppm TLV {11.6 mg/m ³ }	CP65
193		74-96-4 Bromoethane	S	5 ppm TLV {23 mg/m ³ }	G-A3, CP65
194		74-96-4 Ethyl Bromide	S	5 ppm TLV {23 mg/m ³ }	G-A3, CP65
195		75-00-3 Chloroethane	S	100 ppm TLV {264 mg/m ³ }	G-A3, CP65
196		75-00-3 Ethyl Chloride	S	100 ppm TLV {264 mg/m ³ }	G-A3, CP65
197	✓	75-01-4 Chloroethylene [1910.1017]		1 ppm PEL	O, G-A1, I-1, N-1, CP65
198	✓	75-01-4 Vinyl Chloride [1910.1017]		1 ppm PEL	O, G-A1, I-1, N-1, CP65
199	?	75-02-5 Vinyl Fluoride		1 ppm TLV	G-A2, I-2A, N-2, CP65
200		75-07-0 Acetaldehyde		C 25 ppm TLV {C 45 mg/m ³ }	G-A3, I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 6 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
201	75-09-2	✓ Dichloromethane [1910.1052]	/S	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
202	75-09-2	✓ Methane Dichloride [1910.1052]	/S	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
203	75-09-2	✓ Methylene Chloride [1910.1052]	/S	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
204	75-21-8	✓ Ethylene Oxide [1910.1047]	I	1 ppm PEL {1.8 mg/m ³ }	O, G-A2, I-1, N-1, CP65
205	75-25-2	Bromoform	S	0.5 ppm PEL {5 mg/m ³ }	G-A3, CP65
206	75-27-4	Bromodichloromethane		n.o.s.	I-2B, N-2, CP65
207	75-34-3	1,1-Dichloroethane		100 ppm PEL {400 mg/m ³ }	CP65
208	75-52-5	Nitromethane		20 ppm TLV {49.9 mg/m ³ }	G-A3, I-2B, CP65
209	75-55-8	2-Methylaziridine	S	2 ppm PEL {4.7 mg/m ³ }	G-A3, I-2B, N-2, CP65
210	75-55-8	Propyleneimine	S	2 ppm PEL {4.7 mg/m ³ }	G-A3, I-2B, N-2, CP65
211	75-56-9	1,2-Epoxypropane		2 ppm TLV {4.8 mg/m ³ }	G-A3, I-2B, N-2, CP65
212	75-56-9	Propylene Oxide		2 ppm TLV {4.8 mg/m ³ }	G-A3, I-2B, N-2, CP65
213	75-60-5	Cacodylic Acid		0.5 mg/m ³ PEL	CP65
214	76-44-8	Heptachlor	S	0.05 mg/m ³ TLV	G-A3, I-2B, CP65
215	76-87-9	Triphenyltin Hydroxide		n.o.s.	CP65
216	77-09-8	Phenolphthalein		n.o.s.	I-2B, N-2, CP65
217	77-78-1	Dimethylsulfate	S	0.1 ppm TLV {0.5 mg/m ³ }	G-A3, I-2A, N-2, CP65
218	78-79-5	Isopentadiene		n.o.s.	I-2B, N-2, CP65
219	78-79-5	Isoprene		n.o.s.	I-2B, N-2, CP65
220	78-79-5	2-Methyl-1,3-butadiene		n.o.s.	I-2B, N-2, CP65
221	78-87-5	1,2-Dichloropropane		75 ppm TLV {347 mg/m ³ }	CP65
222	78-87-5	Propylene Dichloride		75 ppm TLV {347 mg/m ³ }	CP65
223	79-00-5	1,1,2-Trichloroethane	S	10 ppm PEL {55 mg/m ³ }	G-A3, CP65
224	79-00-5	Vinyl Trichloride	S	10 ppm PEL {55 mg/m ³ }	G-A3, CP65
225	79-01-6	Trichloroethylene		50 ppm TLV	I-2A, N-2, CP65
226	79-06-1	Acrylamide	/S	0.03 mg/m ³ TLV	G-A3, I-2A, N-2, CP65
227	79-34-5	1,1,2,2-Tetrachloroethane	S	1 ppm TLV {6.9 mg/m ³ }	G-A3, CP65
228	79-43-6	Dichloroacetic Acid	S	0.5 ppm TLV ^H	G-A3 ^H , CP65
229	79-44-7	? Dimethylcarbamoyl Chloride	/S	n.o.s.	G-A2, I-2A, N-2, CP65
230	79-46-9	2-Nitropropane	I	10 ppm TLV {37 mg/m ³ }	G-A3, I-2B, N-2, CP65
231	81-49-2	1-Amino-2,4-dibromoanthraquinone		n.o.s.	CP65
232	81-88-9	D&C Red No. 19		n.o.s.	CP65
233	82-28-0	1-Amino-2-methylanthraquinone	I	n.o.s.	N-2, CP65
234	82-28-0	C.I. Disperse Orange 11	I	n.o.s.	N-2, CP65
235	84-17-3	Dienestrol		n.o.s.	CP65
236	86-30-6	N-Nitrosodiphenylamine		n.o.s.	CP65
237	86-74-8	Carbazole		n.o.s.	CP65
238	87-29-6	Cinnamyl Anthranilate		n.o.s.	CP65
239	87-62-7	2,6-Dimethylaniline		n.o.s.	I-2B, CP65
240	87-62-7	2,6-Xylydine		n.o.s.	I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 7 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
241		87-86-5 Pentachlorophenol	S	0.5 mg/m ³ PEL	G-A3, I-2B, CP65
242		88-06-2 2,4,6-Trichlorophenol	S	n.o.s.	I-2B, N-2, CP65
243		88-72-2 <i>o</i> -Nitrotoluene	S	2 ppm TLV {11.2 mg/m ³ }	CP65
244		90-04-0 <i>o</i> -Anisidine	S	0.5 mg/m ³ PEL {0.1 ppm}	G-A3, I-2B, CP65
245		90-43-7 <i>o</i> -Phenylphenol	n.o.s.		CP65
246		90-94-8 <i>bis</i> (Dimethylamino) Benzophenone	n.o.s.		N-2, CP65
247		90-94-8 Michler's Ketone	n.o.s.		N-2, CP65
248		91-08-7 Toluene-2,6-diisocyanate		5 ppb TLV {36 µg/m ³ }	I-2B, N-2
249		91-20-3 Naphthalene	IS	10 ppm PEL {50 mg/m ³ }	I-2B, CP65
250		91-22-5 Benzopyridine		n.o.s.	CP65
251		91-22-5 Quinoline (and its strong acid salts)		n.o.s.	CP65
252		91-23-6 2-Nitroanisole		n.o.s.	I-2B, N-2, CP65
253		91-23-6 <i>o</i> -Nitroanisole		n.o.s.	I-2B, N-2, CP65
254	✓	91-59-8 2-Aminonaphthalene		[1910.1003]	O, G-A1, I-1, N-1, CP65
255	✓	91-59-8 2-Naphthylamine		[1910.1003]	O, G-A1, I-1, N-1, CP65
256	✓	91-59-8 <i>beta</i> -Naphthylamine		[1910.1003]	O, G-A1, I-1, N-1, CP65
257	✓	91-94-1 3,3'-Dichlorobenzidine	IS	[1910.1003]	O, G-A3, I-2B, N-2, CP65
258	✓	92-67-1 4-Aminobiphenyl	IS	[1910.1003]	O, G-A1, I-1, N-1, CP65
259	✓	92-67-1 4-Aminodiphenyl	IS	[1910.1003]	O, G-A1, I-1, N-1, CP65
260	✓	92-87-5 Benzidine	IS	[1910.1003]	O, G-A1, I-1, N-1, CP65
261	✓	92-93-3 4-Nitrobiphenyl	S	[1910.1003]	O, G-A2, CP65
262	✓	92-93-3 4-Nitrodiphenyl	S	[1910.1003]	O, G-A2, CP65
263		93-15-2 Methyleugenol		n.o.s.	N-2, CP65
264		93-76-5 2,4,5-T	S	10 mg/m ³ PEL	I-2B
265		93-76-5 (2,4,5-Trichlorophenoxy) Acetic Acid	S	10 mg/m ³ PEL	I-2B
266		94-58-6 Dihydrosafrole		n.o.s.	I-2B, CP65
267		94-59-7 Safrole		n.o.s.	I-2B, N-2, CP65
268		94-75-7 2,4-D	S	10 mg/m ³ PEL	I-2B
269		94-75-7 (2,4-Dichlorophenoxy) Acetic Acid	S	10 mg/m ³ PEL	I-2B
270		94-78-0 Phenazopyridine		n.o.s.	N-2, CP65
271		95-06-7 N, N-Diethylthiocarbamic Acid 2-Chloroallyl Ester		n.o.s.	I-2B, N-2, CP65
272		95-06-7 Sulfallate		n.o.s.	I-2B, N-2, CP65
273		95-53-4 <i>o</i> -Toluidine	S	2 ppm TLV {8.8 mg/m ³ }	G-A3, I-2A, N-2, CP65
274		95-54-5 <i>o</i> -Phenylenediamine (and its salts)		0.1 mg/m ³ TLV	G-A3, CP65
275		95-57-8 2-Chlorophenol	S	n.o.s.	I-2B
276		95-69-2 4-Chloro-2-methylbenzenamine (and its strong acid salts)		n.o.s.	I-2A, N-2, CP65
277		95-69-2 4-Chloro- <i>o</i> -toluidine (and its strong acid salts)		n.o.s.	I-2A, N-2, CP65
278		95-69-2 <i>p</i> -Chloro- <i>o</i> -toluidine (and its strong acid salts)		n.o.s.	I-2A, N-2, CP65
279		95-79-4 5-Chloro- <i>o</i> -toluidine (and its strong acid salts)		n.o.s.	CP65
280		95-80-7 2,4-Diaminotoluene		n.o.s.	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 8 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
281	95-80-7	Toluene-2,4-diamine	n.o.s.		I-2B, N-2, CP65
282	95-83-0	4-Chloro-o-phenylenediamine	n.o.s.		I-2B, N-2, CP65
283	95-95-4	2,4,5-Trichlorophenol	S	n.o.s.	I-2B
284	96-09-3	Epoxystyrene		n.o.s.	I-2A, N-2, CP65
285	96-09-3	Styrene Epoxide		n.o.s.	I-2A, N-2, CP65
286	96-09-3	Styrene Oxide		n.o.s.	I-2A, N-2, CP65
287	96-09-3	Styrene-7,8-oxide		n.o.s.	I-2A, N-2, CP65
288	96-12-8	✓ DBCP [1910.1044]	IS	1 ppb PEL	O, I-2B, N-2, CP65
289	96-12-8	✓ 1,2-Dibromo-3-chloropropane [1910.1044]	IS	1 ppb PEL	O, I-2B, N-2, CP65
290	96-13-9	DBP		n.o.s.	I-2B, N-2, CP65
291	96-13-9	2,3-Dibromo-1-propanol		n.o.s.	I-2B, N-2, CP65
292	96-13-9	2,3-Dibromopropan-1-ol		n.o.s.	I-2B, N-2, CP65
293	96-18-4	1,2,3-Trichloropropane	S	10 ppm TLV {60.3 mg/m ³ }	G-A3, I-2A, N-2, CP65
294	96-45-7	Ethylene Thiourea		n.o.s.	N-2, CP65
295	97-56-3	o-Aminoazotoluene		n.o.s.	I-2B, N-2, CP65
296	98-07-7	?	Benzotrichloride	S C 0.1 ppm TLV {C 0.8 mg/m ³ }	G-A2, I-2A, N-2, CP65
297	98-87-3	Benzal Chloride (and Benzoyl Chloride [combined exposure])		n.o.s.	I-2A
298	98-88-4	Benzoyl Chloride (and alpha-Chlorinated Toluenes [combined exposure])		C 0.5 ppm TLV	I-2A
299	98-95-3	Nitrobenzene	S	1 ppm PEL {5 mg/m ³ }	G-A3, I-2B, CP65
300	99-59-2	5-Nitro-o-anisidine		n.o.s.	CP65
301	100-00-5	1-Chloro-4-nitrobenzene	S	1 mg/m ³ PEL {0.1 ppm TLV}	G-A3, CP65
302	100-00-5	p-Nitrochlorobenzene	S	1 mg/m ³ PEL {0.1 ppm TLV}	G-A3, CP65
303	100-40-3	4-Vinyl Cyclohexene	S	0.1 ppm TLV {0.44 mg/m ³ }	G-A3, I-2B, CP65
304	100-41-4	Ethylbenzene		100 ppm PEL {435 mg/m ³ }	G-A3, I-2B
305	100-42-5	Phenylethylene	S	20 ppm TLV {85 mg/m ³ }	I-2B
306	100-42-5	Styrene, Monomer	S	20 ppm TLV {85 mg/m ³ }	I-2B
307	100-42-5	Vinyl Benzene	S	20 ppm TLV {85 mg/m ³ }	I-2B
308	100-44-7	Benzyl Chloride		1 ppm PEL {5 mg/m ³ }	G-A3, I-2A, CP65
309	100-63-0	Phenylhydrazine (and its salts)	S	0.1 ppm TLV {0.44 mg/m ³ }	G-A3, CP65
310	100-75-4	N-Nitrosopiperidine		n.o.s.	I-2B, N-2, CP65
311	101-14-4	?	MBOCA	S 0.01 ppm TLV {0.11 mg/m ³ }	G-A2, I-2A, N-2, CP65
312	101-14-4	?	4,4'-Methylene bis(2-Chloroaniline)	S 0.01 ppm TLV {0.11 mg/m ³ }	G-A2, I-2A, N-2, CP65
313	101-14-4	?	MOCA [®]	S 0.01 ppm TLV {0.11 mg/m ³ }	G-A2, I-2A, N-2, CP65
314	101-61-1	4,4'-Methylene bis(N,N-dimethyl) Benzenamine		n.o.s.	N-2, CP65
315	101-61-1	Michler's Base		n.o.s.	N-2, CP65
316	101-77-9	✓ 4,4'-Methylenedianiline [1910.1050]	S	10 ppb PEL {0.081 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
317	101-80-4	4,4'-Diaminodiphenyl Ether		n.o.s.	I-2B, N-2, CP65
318	101-80-4	4,4'-Oxydianiline		n.o.s.	I-2B, N-2, CP65
319	101-90-6	DGRE		n.o.s.	I-2B, N-2, CP65
320	101-90-6	Diglycidyl Resorcinol Ether		n.o.s.	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 9 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
321		103-33-3 Azobenzene	n.o.s.		CP65
322		106-46-7 1,4-Dichlorobenzene	.IA	10 ppm TLV {60 mg/m ³ }	G-A3, I-2B, N-2, CP65
323		106-46-7 <i>p</i> -Dichlorobenzene	.IA	10 ppm TLV {60 mg/m ³ }	G-A3, I-2B, N-2, CP65
324		106-47-8 4-Chloroaniline	n.o.s.		I-2B, CP65
325		106-47-8 <i>p</i> -Chloroaniline	n.o.s.		I-2B, CP65
326		106-48-9 4-Chlorophenol	S	n.o.s.	I-2B
327		106-87-6 Vinyl Cyclohexene Dioxide	IS	0.1 ppm TLV {0.57 mg/m ³ }	G-A3, I-2B, N-2, CP65
328		106-87-6 4-Vinyl-1-cyclohexene Diepoxyde	IS	0.1 ppm TLV {0.57 mg/m ³ }	G-A3, I-2B, N-2, CP65
329		106-88-7 1,2-Epoxybutane	n.o.s.		I-2B
330		106-89-8 1-Chloro-2,3-epoxy-propane	IS	0.5 ppm TLV {1.9 mg/m ³ }	G-A3, I-2A, N-2, CP65
331		106-89-8 Epichlorohydrin	IS	0.5 ppm TLV {1.9 mg/m ³ }	G-A3, I-2A, N-2, CP65
332		106-93-4 1,2-Dibromoethane	IS	20 ppm PEL	G-A3, I-2A, N-2, CP65
333		106-93-4 EDB	IS	20 ppm PEL	G-A3, I-2A, N-2, CP65
334		106-93-4 Ethylene Dibromide	IS	20 ppm PEL	G-A3, I-2A, N-2, CP65
335	✓	106-99-0 1,3-Butadiene [1910.1051]	I	1 ppm PEL {2.2 mg/m ³ }	O, G-A2, I-2A, N-1, CP65
336		107-06-2 1,2-Dichloroethane		10 ppm TLV {40.5 mg/m ³ }	I-2B, N-2, CP65
337		107-06-2 Ethylene Dichloride		10 ppm TLV {40.5 mg/m ³ }	I-2B, N-2, CP65
338	✓	107-13-1 Acrylonitrile [1910.1045]	IS	2 ppm PEL {4.3 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
339	✓	107-13-1 Vinyl Cyanide [1910.1045]	IS	2 ppm PEL {4.3 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
340	✓	107-30-2 Chloromethyl Methyl Ether	IS	[1910.1003]	O, G-A2, I-1, N-1, CP65
341	✓	107-30-2 Methylchloro Methyl Ether	IS	[1910.1003]	O, G-A2, I-1, N-1, CP65
342	✓	107-30-2 Monochlorodimethyl Ether	IS	[1910.1003]	O, G-A2, I-1, N-1, CP65
343		108-05-4 Vinyl Acetate		10 ppm TLV	G-A3, I-2B
344		108-43-0 3-Chlorophenol	S	n.o.s.	I-2B
345		108-60-1 <i>bis</i> (2-Chloro-1-methylethyl) Ether (technical grade)		n.o.s.	CP65
346		110-00-9 Furan		n.o.s.	I-2B, N-2, CP65
347		110-86-1 Pyridine		1 ppm TLV	G-A3, CP65
348		111-44-4 <i>bis</i> (2-Chloroethyl) Ether	S	5 ppm TLV {29 mg/m ³ }	CP65
349		111-44-4 Dichloroethyl Ether	S	5 ppm TLV {29 mg/m ³ }	CP65
350		115-02-6 Azaserine	n.o.s.		I-2B, CP65
351		115-09-3 Methylmercury Chloride	n.o.s.		I-2B, CP65
352		115-28-6 Chlorendic Acid	n.o.s.		I-2B, N-2, CP65
353		115-96-8 <i>tris</i> (2-Chloroethyl) Phosphate	n.o.s.		CP65
354		116-14-3 Tetrafluoroethylene		2 ppm TLV	G-A3, I-2B, N-2, CP65
355		117-10-2 Chrysazin	n.o.s.		I-2B, N-2, CP65
356		117-10-2 Dantron	n.o.s.		I-2B, N-2, CP65
357		117-10-2 1,8-Dihydroxyanthraquinone	n.o.s.		I-2B, N-2, CP65
358		117-79-3 2-Aminoanthraquinone	n.o.s.		N-2, CP65
359		117-81-7 DEHP		5 mg/m ³ PEL	G-A3, N-2, CP65
360		117-81-7 <i>bis</i> (2-Ethylhexyl) Phthalate		5 mg/m ³ PEL	G-A3, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 10 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
361	117-81-7	<i>di</i> (2-Ethylhexyl) Phthalate		5 mg/m ³ PEL	G-A3, N-2, CP65
362	117-81-7	<i>di</i> -sec-Octylphthalate		5 mg/m ³ PEL	G-A3, N-2, CP65
363	118-74-1	Hexachlorobenzene	S	2 µg/m ³ TLV	G-A3, I-2B, N-2, CP65
364	119-34-6	4-Amino-2-nitrophenol		n.o.s.	CP65
365	119-90-4	<i>o</i> -Dianisidine Based Dyes		n.o.s.	I-2B, N-2, CP65
366	119-90-4	3,3'-Dimethoxybenzidine		n.o.s.	I-2B, N-2, CP65
367	119-90-4	Dyes that metabolize to 3,3'-Dimethoxybenzidine		n.o.s.	N-2
368	119-93-7	3,3'-Dimethylbenzidine	S	n.o.s.	G-A3, I-2B, N-2, CP65
369	119-93-7	Dyes that metabolize to 3,3'-Dimethylbenzidine		n.o.s.	N-2
370	119-93-7	<i>o</i> -Tolidine	S	n.o.s.	G-A3, I-2B, N-2, CP65
371	120-58-1	Isosafrole		n.o.s.	CP65
372	120-71-8	<i>p</i> -Cresidine		n.o.s.	I-2B, N-2, CP65
373	120-71-8	Methyl- <i>o</i> -anisidine		n.o.s.	I-2B, N-2, CP65
374	120-80-9	Catechol	S	5 ppm TLV	G-A3, I-2B, CP65
375	121-14-2	2,4-Dinitrotoluene	S	27 ppb TLV {0.2 mg/m ³ }	I-2B, CP65
376	122-60-1	Phenyl Glycidyl Ether	S	0.1 ppm TLV {0.6 mg/m ³ }	G-A3, I-2B, CP65
377	122-66-7	1,2-Diphenylhydrazine		n.o.s.	N-2, CP65
378	122-66-7	Hydrazobenzene		n.o.s.	N-2, CP65
379	123-91-1	1,4-Dioxane	IS	20 ppm TLV {72 mg/m ³ }	G-A3, I-2B, N-2, CP65
380	125-33-7	Primidone		n.o.s.	CP65
381	126-07-8	Griseofulvin		n.o.s.	I-2B, CP65
382	126-72-7	<i>tris</i> (2,3-Dibromopropyl) Phosphate		n.o.s.	I-2A, N-2, CP65
383	126-85-2	Nitrogen Mustard N-oxide		n.o.s.	I-2B, CP65
384	126-99-8	<i>beta</i> -Chloroprene	S	10 ppm TLV	I-2B, N-2, CP65
385	127-18-4	Perchloroethylene		25 ppm TLV {170 mg/m ³ }	G-A3, I-2A, N-2, CP65
386	127-18-4	Tetrachloroethylene		25 ppm TLV {170 mg/m ³ }	G-A3, I-2A, N-2, CP65
387	129-15-7	2-Methyl-1-nitroanthraquinone		n.o.s.	I-2B, CP65
388	129-43-1	1-Hydroxyanthraquinone		n.o.s.	I-2B
389	132-27-4	<i>o</i> -Phenylphenate, Sodium		n.o.s.	I-2B, CP65
390	132-27-4	Sodium <i>o</i> -Phenylphenate		n.o.s.	I-2B, CP65
391	133-06-2	Captan		5 mg/m ³ TLV	G-A3, CP65
392	133-07-3	Folpet		n.o.s.	CP65
393	134-29-2	<i>o</i> -Anisidine Hydrochloride		n.o.s.	N-2, CP65
394	134-32-7 ✓	1-Naphthylamine		[1910.1003]	O, CP65
395	134-32-7 ✓	<i>alpha</i> -Naphthylamine		[1910.1003]	O, CP65
396	135-20-6	Cupferron		n.o.s.	N-2, CP65
397	136-40-3	Phenazopyridine Hydrochloride		n.o.s.	I-2B, N-2, CP65
398	136-45-8	MGK Repellant 326		n.o.s.	CP65
399	136-45-8	<i>di</i> - <i>n</i> -Propyl Isocinchomeronate		n.o.s.	CP65
400	137-17-7	2,4,5-Trimethylaniline (and its strong acid salts)		n.o.s.	CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 11 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
401		137-42-8 Metham Sodium	n.o.s.		CP65
402		139-13-9 Nitrilotriacetic Acid (and its salts)	I	n.o.s.	I-2B, N-2, CP65
403		139-65-1 4,4'-Thiodianiline		n.o.s.	I-2B, CP65
404		139-91-3 5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone		n.o.s.	CP65
405		140-57-8 Aramite®		n.o.s.	I-2B, CP65
406		140-57-8 Butylphenoxyisopropyl Chloroethyl Sulfite		n.o.s.	I-2B, CP65
407		140-67-0 Estragole		n.o.s.	CP65
408		140-88-5 Ethyl Acrylate	IS	5 ppm TLV {20 mg/m ³ }	I-2B, CP65
409		141-90-2 Thiouracil		n.o.s.	I-2B
410		142-04-1 Aniline Hydrochloride		n.o.s.	CP65
411		143-50-0 Chlordecone		n.o.s.	I-2B, N-2, CP65
412		143-50-0 Kepone®		n.o.s.	I-2B, N-2, CP65
413	✓	148-82-3 Melphalan		n.o.s.	I-1, N-1, CP65
414	✓	151-56-4 Aziridine	IS	[1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ }	O, G-A3, I-2B, CP65
415	✓	151-56-4 Ethyleneimine	IS	[1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ }	O, G-A3, I-2B, CP65
416		153-78-6 2-Aminofluorene		n.o.s.	CP65
417		154-93-8 BCNU		n.o.s.	I-2A, N-2, CP65
418		154-93-8 Carmustine		n.o.s.	I-2A, N-2, CP65
419		154-93-8 bis(Chloroethyl) Nitrosourea		n.o.s.	I-2A, N-2, CP65
420		156-10-5 p-Nitrosodiphenylamine		n.o.s.	CP65
421		189-55-9 Dibenzo[a,i]pyrene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
422		189-55-9 PAH {Dibenzo[a,i]pyrene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
423		189-64-0 Dibenzo[a,h]pyrene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
424		189-64-0 PAH {Dibenzo[a,h]pyrene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
425		191-30-0 Dibenzo[a,l]pyrene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
426		191-30-0 PAH {Dibenzo[a,l]pyrene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
427		192-65-4 Dibenzo[a,e]pyrene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
428		192-65-4 PAH {Dibenzo[a,e]pyrene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
429		193-39-5 Indeno[1,2,3-cd]pyrene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
430		193-39-5 PAH {Indeno[1,2,3-cd]pyrene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
431		194-59-2 7H-Dibenzo[c,g]carbazole {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
432		194-59-2 PAH {7H-Dibenzo[c,g]carbazole}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
433		205-82-3 Benzo[j]fluoranthene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
434		205-82-3 PAH {Benzo[j]fluoranthene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
435	?	205-99-2 Benzo[b]fluoranthene {PAH}	I	0.2 mg/m ³ PEL	G-A2, I-2B, N-2, CP65
436	?	205-99-2 PAH {Benzo[b]fluoranthene}	I	0.2 mg/m ³ PEL	G-A2, I-2B, N-2, CP65
437		207-08-9 Benzo[k]fluoranthene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
438		207-08-9 PAH {Benzo[k]fluoranthene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
439		218-01-9 Chrysene	S	0.2 mg/m ³ PEL	G-A3, CP65
440		224-42-0 Dibenz[a,j]acridine {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs®, IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.

^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 12 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
441		PAH {Dibenz[<i>a,j</i>]acridine}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
442		Dibenz[<i>a,h</i>]acridine {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
443		PAH {Dibenz[<i>a,h</i>]acridine}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
444		Benzofuran	n.o.s.		I-2B, CP65
445	✓	298-81-7 Methoxsalen plus UV-A radiation	S	n.o.s.	I-1, N-1, CP65
446	✓	298-81-7 Methoxsalen	S	n.o.s.	I-1
447	✓	298-81-7 8-Methoxysoralen plus UV-A radiation	S	n.o.s.	I-1, N-1, CP65
448	✓	299-75-2 Treosulfan	n.o.s.		I-1, CP65
449	✓	299-75-2 Treosulphan	n.o.s.		I-1, CP65
450		301-04-2 Lead Acetate	IG	50 µg/m ³ PEL	G-A3, I-2B, N-2, CP65
451		302-01-2 Hydrazine	S	10 ppb TLV {13 µg/m ³ }	G-A3, I-2B, N-2, CP65
452		302-70-5 Nitrogen Mustard N-oxide Hydrochloride	n.o.s.		I-2B, CP65
453		303-34-4 Lasiocarpine	n.o.s.		I-2B, CP65
454		303-47-9 Ochratoxin A	G	n.o.s.	I-2B, N-2, CP65
455	✓	305-03-3 Chlorambucil	G	n.o.s.	I-1, N-1, CP65
456		309-00-2 Aldrin	S	0.25 mg/m ³ PEL	G-A3, CP65
457		315-22-0 Monocrotaline	n.o.s.		I-2B, CP65
458		319-84-6 <i>alpha</i> -Hexachlorocyclohexane	n.o.s.		I-2B, N-2, CP65
459		319-85-7 <i>beta</i> -Hexachlorocyclohexane	n.o.s.		I-2B, N-2, CP65
460		320-67-2 Azacitidine	n.o.s.		I-2A, N-2, CP65
461		320-67-2 5-Azacytidine	n.o.s.		I-2A, N-2, CP65
462		330-54-1 Diuron	10 mg/m ³		CP65
463		331-39-5 Caffeic Acid	n.o.s.		I-2B, CP65
464	?	334-88-3 Diazomethane	0.2 ppm PEL {0.34 mg/m ³ }		G-A2
465		366-70-1 Procarbazine Hydrochloride	n.o.s.		I-2A, N-2, CP65
466	✓	373-02-4 Nickel Acetate [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
467		389-08-2 Nalidixic Acid	n.o.s.		CP65
468	?	409-21-2 Ceramic Fiber (CP65: airborne particles of respirable size)	I	5 mg/m ³ PEL (respirable) {0.1 f/cc TLV}	G-A2, I-2B, N-2, CP65
469	?	409-21-2 Refractory Ceramic Fiber	I	5 mg/m ³ PEL (respirable) {0.1 f/cc TLV}	G-A2, I-2B, N-2, CP65
470	?	409-21-2 Silicon Carbide (fibrous forms, including whiskers)	I	5 mg/m ³ PEL (respirable) {0.1 f/cc TLV}	G-A2, I-2B, N-2, CP65
471		434-07-1 Oxymetholone	n.o.s.		N-2, CP65
472	✓	438-67-5 Sodium Estrone Sulfate	n.o.s.		N-1
473		443-48-1 Metronidazole	n.o.s.		I-2B, N-2, CP65
474	✓	446-86-6 Azathioprine	J	n.o.s.	I-1, N-1, CP65
475		484-20-8 5-Methoxysoralen plus UV-A radiation	n.o.s.		I-2A, CP65
476		484-20-8 5-Methoxysoralen	n.o.s.		I-2A
477		492-80-8 Auramine (technical grade)	n.o.s.		I-2B, CP65
478	✓	494-03-1 Chlornaphazine	n.o.s.		I-1, CP65
479	✓	494-03-1 N,N-bis(2-Chloroethyl)-2-naphthylamine	n.o.s.		I-1, CP65
480		502-39-6 Methylmercury Dicyandiamide	n.o.s.		I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 13 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
481		505-60-2 ✓ 2,2'-Dichlorodiethylsulfide	IA	n.o.s.	I-1, N-1, CP65
482		505-60-2 ✓ Mustard Gas	IA	n.o.s.	I-1, N-1, CP65
483		505-60-2 ✓ Sulfur Mustard	IA	n.o.s.	I-1, N-1, CP65
484		506-66-1 ✓ Beryllium Carbide	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
485		509-14-8 Tetranitromethane	I	5 ppb TLV {0.04 mg/m ³ }	G-A3, I-2B, N-2, CP65
486		510-15-6 Ethyl-4,4'-dichlorobenzilate	n.o.s.		CP65
487		512-56-1 Trimethyl Phosphate	n.o.s.		CP65
488		513-37-1 1-Chloro-2-methylpropene	n.o.s.		I-2B, N-2, CP65
489		513-37-1 Dimethylvinyl Chloride	n.o.s.		I-2B, N-2, CP65
490	✓	513-78-0 Cadmium Carbonate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
491		513-79-1 Cobalt (II) Carbonate	I	0.02 mg/m ³ TLV	G-A3, I-2B
492		531-76-0 Merphalan	n.o.s.		I-2B, CP65
493		531-82-8 Furathiazole	n.o.s.		I-2B, CP65
494		531-82-8 N-[4-(5-Nitro-2-furyl)-2-thiazolyl]acetamide	n.o.s.		I-2B, CP65
495		540-73-8 1,2-Dimethylhydrazine	n.o.s.		I-2A, CP65
496		542-56-3 Isobutyl Nitrite	C	1 ppm TLV	G-A3, CP65
497		542-75-6 1,3-Dichloropropene (technical grade)	S	1 ppm TLV {4.5 mg/m ³ }	G-A3, I-2B, N-2, CP65
498	✓	542-83-6 Cadmium Cyanide	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
499		542-84-7 Cobalt (II) Cyanide	I	0.02 mg/m ³ TLV	G-A3, I-2B
500	✓	542-88-1 bis(Chloromethyl) Ether	I	[1910.1003] {1 ppb TLV, 4.7 µg/m ³ }	O, G-A1, I-1, N-1, CP65
501	✓	543-81-7 Beryllium Acetate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
502	✓	543-90-8 Cadmium Acetate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
503		544-18-3 Cobalt (II) Formate	I	0.02 mg/m ³ TLV	G-A3, I-2B
504	✓	547-67-1 Nickel Oxalate	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
505		555-84-0 1-[(5-Nitrofurfurylidene)amino]-2-imidazolidinone	n.o.s.		I-2B, CP65
506		556-52-5 Glycidol	ISG	2 ppm TLV {6.1 mg/m ³ }	G-A3, I-2A, N-2, CP65
507	✓	557-19-7 Nickel Cyanide	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
508		563-47-3 3-Chloro-2-methylpropene	n.o.s.		N-2, CP65
509		569-57-3 Chlorotrianesene	n.o.s.		CP65
510		569-61-9 C.I. Basic Red 9 Monohydrochloride	IS	n.o.s.	I-2B, N-2, CP65
511		569-61-9 p-Rosaniline	IS	n.o.s.	I-2B, N-2, CP65
512		584-84-9 TDI		5 ppb TLV {36 µg/m ³ }	I-2B, N-2
513		584-84-9 Toluene-2,4-diisocyanate		5 ppb TLV {36 µg/m ³ }	I-2B, N-2
514		590-96-5 Methylazoxymethanol	n.o.s.		CP65
515		592-62-1 Methylazoxymethanol Acetate	n.o.s.		I-2B, CP65
516		592-87-0 Lead Thiocyanate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
517	?	593-60-2 Vinyl Bromide		0.5 ppm TLV {2.2 mg/m ³ }	G-A2, I-2A, N-2, CP65
518		598-55-0 Methyl Carbamate	n.o.s.		CP65
519		599-79-1 Salicylazosulfapyridine	n.o.s.		CP65
520		602-87-9 5-Nitroacenaphthene	n.o.s.		I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 14 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
521	604-75-1	Oxazepam	n.o.s.		I-2B, CP65
522	606-20-2	2,6-Dinitrotoluene	S	27 ppb TLV {0.2 mg/m ³ }	I-2B, CP65
523	607-57-8	2-Nitrofluorene	I	n.o.s.	I-2B, CP65
524	608-73-1	Hexachlorocyclohexane (technical grade)	n.o.s.		I-2B, N-2, CP65
525	612-82-8	3,3'-Dimethylbenzidine Dihydrochloride	n.o.s.		CP65
526	612-83-9	3,3'-Dichlorobenzidine Dihydrochloride	n.o.s.		N-2, CP65
527	613-35-4	N,N'-Diacetylbenzidine	n.o.s.		I-2B, CP65
528	615-05-4	2,4-Diaminoanisole	n.o.s.		I-2B, CP65
529	615-53-2	N-Methyl-N-nitrosourethane	n.o.s.		I-2B, CP65
530	615-53-2	N-Nitroso-N-methylurethane	n.o.s.		I-2B, CP65
531	621-64-7	N-Nitrosodi-n-propylamine	n.o.s.		I-2B, N-2, CP65
532	630-93-3	Diphenylhydantoin (sodium salt)	n.o.s.		CP65
533	630-93-3	Phenytoin (sodium salt)	n.o.s.		CP65
534	632-99-5	Magenta (containing C.I. Basic Red 9)	I	n.o.s.	I-2B
535	636-21-5	o-Toluidine Hydrochloride	n.o.s.		N-2, CP65
536	637-07-0	Clofibrate	n.o.s.		CP65
537	671-16-9	Procarbazine	n.o.s.		I-2A, N-2, CP65
538	680-31-9	Hexamethylphosphoramide	IS	n.o.s.	G-A3, I-2B, N-2, CP65
539	684-93-5	N-Methyl-N-nitrosourea	n.o.s.		I-2A, N-2, CP65
540	684-93-5	N-Nitroso-N-methylurea	n.o.s.		I-2A, N-2, CP65
541	712-68-5	2-Amino-5-(5-nitro-2-furyl)-1,3,4-thiadiazole	n.o.s.		I-2B, CP65
542	759-73-9	ENU	n.o.s.		I-2A, N-2, CP65
543	759-73-9	N-Ethyl-N-nitrosourea	n.o.s.		I-2A, N-2, CP65
544	759-73-9	N-Nitroso-N-ethylurea	n.o.s.		I-2A, N-2, CP65
545	764-41-0	? 1,4-Dichloro-2-butene	S	5 ppb TLV {25 µg/m ³ }	G-A2, CP65
546	765-34-4	Glycidaldehyde	n.o.s.		I-2B, CP65
547	794-93-4	Panfurane S (containing dihydroxymethylfuratrizine)	n.o.s.		I-2B, CP65
548	811-54-1	Lead Formate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
549	814-89-1	Cobalt (II) Oxalate	I	0.02 mg/m ³ TLV	G-A3, I-2B
550	817-09-4	Trichlormethine	n.o.s.		I-2B, CP65
551	817-09-4	Trimustine Hydrochloride	n.o.s.		I-2B, CP65
552	819-73-8	Lead Butyrate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
553	838-88-0	4,4'-Methylene bis(2-Methylaniline)	n.o.s.		I-2B, CP65
554	842-07-9	C.I. Solvent Yellow 14	n.o.s.		CP65
555	865-49-6	Chloroform-d {CDCl ₃ }	IA	10 ppm TLV {48.9 mg/m ³ }	G-A3, I-2B, N-2, CP65
556	917-69-1	Cobalt (III) Acetate	I	0.02 mg/m ³ TLV	G-A3, I-2B
557	924-16-3	N-Nitrosodi-n-butylamine	n.o.s.		I-2B, N-2, CP65
558	924-42-5	N-Methylolacrylamide	n.o.s.		CP65
559	930-55-2	N-Nitrosopyrrolidine	n.o.s.		I-2B, N-2, CP65
560	1024-57-3	Heptachlor Epoxide	S	0.05 mg/m ³ TLV	G-A3, I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 15 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
561	1066-30-4	✓ Chromic Acetate, as Cr ⁶⁺ [water-soluble]		0.05 mg/m ³ TLV.	N-1, CP65
562	1076-43-3	✓ Benzene-d ₆ {C ₆ D ₆ }	<i>IS</i>	0.5 ppm TLV {1.6 mg/m ³ }.	O, G-A1, I-1, N-1, CP65
563	1111-71-3	✓ Beryllium Formate	<i>I</i>	0.2 µg/m ³ TLV ^C .	G-A1, I-1, N-1, CP65
564	1116-54-7	N-Nitrosodietanolamine		n.o.s.	I-2B, N-2, CP65
565	1120-71-4	1,3-Propane Sultone		n.o.s.	G-A3, I-2B, N-2, CP65
566	1120-89-4	✓ Benzene-d {C ₆ H ₅ D ₁ }	<i>IS</i>	0.5 ppm TLV {1.6 mg/m ³ }.	O, G-A1, I-1, N-1, CP65
567	1189-85-1	✓ <i>tert</i> -Butyl Chromate, as Cr ⁶⁺	<i>S</i>	0.01 mg/m ³ TLV.	I-1, N-1, CP65
568	1271-28-9	✓ Nickelocene	<i>I</i>	0.2 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
569	1302-52-9	✓ Beryl Ore	<i>I</i>	0.2 µg/m ³ TLV ^C .	G-A1, I-1, N-1, CP65
570	1302-52-9	✓ Beryllium Aluminum Silicate	<i>I</i>	0.2 µg/m ³ TLV ^C .	G-A1, I-1, N-1, CP65
571	1303-00-0	✓ Gallium Arsenide	<i>IG</i>	3 µg/m ³ TLV ^H .	O, G-A3 ^H , I-1, N-1, CP65
572	1303-28-2	✓ Arsenic Pentoxide	<i>IG</i>	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
573	1303-32-8	✓ Arsenic Disulfide	<i>IG</i>	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
574	1303-33-9	✓ Arsenic Trisulfide	<i>IG</i>	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
575	1303-36-2	✓ Arsenic Triselenide	<i>IG</i>	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
576	1304-54-7	✓ Beryllium Nitride	<i>I</i>	0.2 µg/m ³ TLV ^C .	G-A1, I-1, N-1, CP65
577	1304-56-9	✓ Beryllium Oxide	<i>I</i>	0.2 µg/m ³ TLV ^C .	G-A1, I-1, N-1, CP65
578	1306-19-0	✓ Cadmium Oxide	<i>I</i>	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
579	1306-23-6	✓ Cadmium Sulfide	<i>I</i>	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
580	1306-24-7	✓ Cadmium Selenide	<i>I</i>	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
581	1306-25-8	✓ Cadmium Telluride	<i>I</i>	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
582	1307-86-4	Cobalt (III) Hydroxide	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B
583	1307-96-6	C.I. Pigment Black 13	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B, CP65
584	1307-96-6	Cobalt (II) Oxide	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B, CP65
585	1307-96-6	Cobalt Monoxide	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B, CP65
586	1308-04-9	Cobalt (III) Oxide	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B
587	1308-06-1	Cobalt (II, III) Oxide	<i>I</i>	0.02 mg/m ³ TLV.	G-A3, I-2B
588	1308-09-4	✓ Basic Copper (II) Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
589	1308-09-4	✓ Copper Chromate Oxide, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
590	1308-13-0	✓ C.I. Pigment Yellow 36, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
591	1308-13-0	✓ Zinc Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
592	1308-13-0	✓ Zinc Yellow, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
593	1309-60-0	Lead Dioxide	<i>IG</i>	50 µg/m ³ PEL	G-A3, I-2B, CP65
594	1309-64-4	Antimony Trioxide	<i>I</i>	0.5 mg/m ³ PEL	I-2B, CP65
595	1311-11-1	Lead Hydroxide	<i>IG</i>	50 µg/m ³ PEL	G-A3, I-2B, CP65
596	1313-99-1	✓ Nickel Monoxide	<i>I</i>	0.2 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
597	1313-99-1	✓ Nickel Oxide	<i>I</i>	0.2 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
598	1314-06-3	✓ Nickel Sesquioxide	<i>I</i>	0.2 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
599	1314-20-1	✓ Thorium Dioxide	<i>J</i>	n.o.s.	N-1, CP65
600	1314-27-8	Lead Sesquioxide	<i>IG</i>	50 µg/m ³ PEL	G-A3, I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 16 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
601	1314-41-6		Lead Tetraoxide	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
602	1314-87-0		Lead Sulfide	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
603	1314-91-6		Lead Telluride	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
604	1317-36-8		Lead Monoxide	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
605	1317-42-6		Cobalt (II) Sulfide	I	0.02 mg/m ³ TLV	G-A3, I-2B
606	1317-95-9		Silica (respirable) - Crystalline {Tripoli}	I	0.1 mg/m ³ PEL	I-2A, CP65
607	1317-95-9		Tripoli {Silica (respirable) - Crystalline}	I	0.1 mg/m ³ PEL	I-2A, CP65
608	1319-43-3	✓	Beryllium Carbonate Basic	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
609	1319-48-8		Basic Lead Carbonate Sulfate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
610	1319-48-8		Leadhillite	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
611	1327-53-3	✓	Arsenic Trioxide	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
612	1327-53-3	✓	Fowler's Solution, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
613	1328-67-2	✓	C.I. Pigment Yellow 36, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
614	1328-67-2	✓	Zinc Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
615	1328-67-2	✓	Zinc Yellow, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
616	1332-21-4	✓	Asbestos	I	0.1 f/cc PEL	O, G-A1, I-1, N-1, CP65
617	1332-52-1	✓	Beryllium Acetate, Basic	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
618	1333-82-0	✓	Chromic Acid, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
619	1333-82-0	✓	Chromium Oxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
620	1333-82-0	✓	Chromium Trioxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
621	1333-86-4		Carbon Black (CP65: airborne, unbound particles of respirable size)	I	3.5 mg/m ³ PEL	I-2B, CP65
622	1335-32-6		Lead Subacetate	n.o.s.		G-A3, I-2B, CP65
623	1336-36-3		PCBs {Polychlorinated Biphenyls}	n.o.s.		I-2A, N-2, CP65
624	1336-36-3		Polychlorinated Biphenyls {PCBs}	n.o.s.		I-2A, N-2, CP65
625	1344-38-3	✓	Basic Lead Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
626	1344-38-3	✓	C.I. Pigment Orange 21, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
627	1402-68-2	✓	Aflatoxins	IG	n.o.s.	I-1, N-1, CP65
628	1464-53-5		Diepoxybutane	n.o.s.		I-2B, N-2, CP65
629	1596-84-5		Daminozide	n.o.s.		CP65
630	1615-80-1		1,2-Diethylhydrazine	n.o.s.		I-2B, CP65
631	1665-00-5	✓	Dichloromethane-d ₂ {CD ₂ Cl ₂ } [1910.1052]	IS	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
632	1665-00-5	✓	Methane-d ₂ Dichloride {CD ₂ Cl ₂ } [1910.1052]	IS	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
633	1665-00-5	✓	Methylene-d ₂ Chloride {CD ₂ Cl ₂ } [1910.1052]	IS	25 ppm PEL {87 mg/m ³ }	O, G-A3, I-2B, N-2, CP65
634	1684-47-5	✓	Benzene-1,3,5-d ₃ {C ₆ H ₃ D ₃ }	IS	0.5 ppm TLV {1.6 mg/m ³ }	O, G-A1, I-1, N-1, CP65
635	1694-09-3		Benzyl Violet 4B	n.o.s.		I-2B, CP65
636	1746-01-6	✓	TCDD	S	n.o.s.	I-1, N-1, CP65
637	1746-01-6	✓	2,3,7,8-Tetrachlorodibenzo-p-dioxin	S	n.o.s.	I-1, N-1, CP65
638	1836-75-5		2,4-Dichlorophenyl-p-nitrophenyl Ether	n.o.s.		I-2B, N-2, CP65
639	1836-75-5		Nitrofen (technical grade)	n.o.s.		I-2B, N-2, CP65
640	1897-45-6		Chlorothalonil	n.o.s.		I-2B, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 17 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
641		Propachlor	n.o.s.		CP65
642	1937-37-7	✓ Direct Black 38 (technical grade)	n.o.s.		I-2A, N-1, CP65
643	1937-37-7	✓ Direct Black GX	n.o.s.		I-2A, N-1, CP65
644	2092-56-0	D&C Red No. 8	n.o.s.		CP65
645	2223-93-0	✓ Cadmium Stearate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
646	2312-35-8	Propargite	n.o.s.		CP65
647	2385-85-5	Mirex	n.o.s.		I-2B, N-2, CP65
648	2425-06-1	Captafol	S	0.1 mg/m ³ PEL	I-2A, CP65
649	2429-74-5	C.I. Direct Blue 15	I	n.o.s.	I-2B, CP65
650	2439-01-2	Oxythioquinox		n.o.s.	CP65
651	2475-45-8	Disperse Blue 1	I	n.o.s.	I-2B, N-2, CP65
652	2475-45-8	1,4,5,8-Tetraamino-9,10-anthracenedione	I	n.o.s.	I-2B, N-2, CP65
653	2593-15-9	Terrazole	n.o.s.		CP65
654	2602-46-2	✓ Direct Blue 6 (technical grade)	n.o.s.		I-2A, N-1, CP65
655	2646-17-5	C.I. Solvent Orange 2	n.o.s.		I-2B, CP65
656	2646-17-5	Oil Orange SS	n.o.s.		I-2B, CP65
657	2784-94-3	HC Blue No.1	I	n.o.s.	I-2B, CP65
658	2973-10-6	Diisopropylsulfate		n.o.s.	I-2B, CP65
659	3017-60-5	Cobalt (II) Thiocyanate	I	0.02 mg/m ³ TLV	G-A3, I-2B
660	3068-88-0	<i>beta</i> -Butyrolactone	n.o.s.		I-2B, CP65
661	3165-93-3	4-Chloro-2-methylbenzenamine Hydrochloride	n.o.s.		I-2A, N-2, CP65
662	3165-93-3	<i>p</i> -Chloro- <i>o</i> -toluidine Hydrochloride	n.o.s.		I-2A, N-2, CP65
663	3264-82-2	✓ Nickel Acetylacetone [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
664	3296-90-0	BBMP	n.o.s.		I-2B, N-2, CP65
665	3296-90-0	2,2- <i>bis</i> (Bromomethyl)-1,3-propanediol	n.o.s.		I-2B, N-2, CP65
666	3296-90-0	2,2- <i>bis</i> (Bromomethyl)propane-1,3-diol	n.o.s.		I-2B, N-2, CP65
667	3333-39-3	✓ Nickel Carbonate	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
668	3333-67-3	✓ Nickel Carbonate	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
669	3349-06-2	✓ Nickel Formate [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
670	3468-63-1	D&C Orange No. 17	n.o.s.		CP65
671	3546-10-9	Phenesterin	n.o.s.		CP65
672	3564-09-8	Ponceau 3R	n.o.s.		I-2B, CP65
673	3570-75-0	2-(2-Formylhydrazino)-4-(5-nitro-2-furyl)thiazole	n.o.s.		I-2B, CP65
674	3687-31-8	✓ Lead Arsenate, as As ³⁺	IG	10 µg/m ³ PEL	O, I-1, N-1, CP65
675	3688-53-7	AF-2[2-(2-Furyl)-3-(5-nitro-2-furyl)acrylamide]	n.o.s.		I-2B, CP65
676	3697-24-3	5-Methylchrysene {PAH}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
677	3697-24-3	PAH {5-Methylchrysene}	I	0.2 mg/m ³ PEL	I-2B, N-2, CP65
678	3761-53-3	Ponceau MX	n.o.s.		I-2B, CP65
679	3771-19-5	Nafenopin	n.o.s.		I-2B, CP65
680	3795-88-8	5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone	n.o.s.		I-2B

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 18 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
681		3817-11-6 N-Nitroso- <i>n</i> -butyl-N-(4-hydroxybutyl)amine	n.o.s.	N-2
682		4342-03-4 Dacarbazine	n.o.s.	I-2B, N-2, CP65
683		4549-40-0 N-Nitrosomethylvinylamine	n.o.s.	I-2B, N-2, CP65
684		5064-31-3 Nitrilotriacetic Acid, Trisodium Salt	I	n.o.s.	I-2B, N-2, CP65
685		5160-02-1 D&C Red No. 9	n.o.s.	CP65
686		5216-25-1 <i>p</i> -a,a,a-Tetrachlorotoluene	n.o.s.	CP65
687		5522-43-0 1-Nitropyrene	I	n.o.s.	I-2B, N-2, CP65
688	✓	6055-19-2 Cyclophosphamide (hydrated)	GJ	n.o.s.	I-1, CP65
689		6109-97-3 3-Amino-9-ethylcarbazole Hydrochloride	n.o.s.	CP65
690		6147-53-1 Cobalt (II) Acetate Tetrahydrate	I	0.02 mg/m ³ TLV	G-A3, I-2B
691		6164-98-3 Chlordimeform	n.o.s.	CP65
692		6358-53-8 Citrus Red No.2	n.o.s.	I-2B, CP65
693		6459-94-5 C.I. Acid Red 114	I	n.o.s.	I-2B, CP65
694		6795-23-9 Aflatoxin M1	n.o.s.	I-2B, CP65
695	✓	7280-37-7 Estropipate	n.o.s.	N-1, CP65
696	✓	7280-37-7 Piperazine Estrone Sulfate	n.o.s.	N-1, CP65
697		7439-92-1 Lead & Pb compounds, inorganic, as Pb - [see specific compound]	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
698	✓	7440-02-0 Nickel metal powder & Ni alloys/compounds, as Ni - [see specific compound]	I	1 mg/m ³ PEL {inhalable fraction}	G-A5 (Ni ⁰), I-2B, N-1, CP65
699	✓	7440-07-5 Plutonium (as ²³⁹ Pu, and its decay products [may contain other isotopes], as aerosols)	n.o.s.	I-1
700	✓	7440-14-4 Radium (as ²²⁴ Ra, and its decay products)	n.o.s.	I-1
701	✓	7440-14-4 Radium (as ²²⁶ Ra, and its decay products)	n.o.s.	I-1
702	✓	7440-14-4 Radium (as ²²⁸ Ra, and its decay products)	n.o.s.	I-1
703	✓	7440-29-1 Thorium (as ²³² Th, and its decay products)	I	n.o.s.	I-1
704	✓	7440-38-2 Arsenic, Inorganic [1910.1018] - [see specific compound]	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
705	✓	7440-38-2 Inorganic Arsenic [1910.1018] - [see specific compound]	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
706	✓	7440-41-7 Beryllium & compounds, as Be - [see specific compound]	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
707	✓	7440-43-9 Cadmium & Cd compounds, as Cd [1910.1027] - [see specific compound]	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
708		7440-48-4 Cobalt metal powder & inorganic compounds, as Co - [see specific compound]	I	0.02 mg/m ³ TLV	G-A3, I-2B, CP65
709	✓	7440-61-1 Uranium, natural [soluble & insoluble compounds]	I	0.05 mg/m ³ PEL (sol.); 0.25 mg/m ³ PEL (insol.)	G-A1
710		7446-14-2 Lead Sulfate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
711		7446-15-3 Lead Selenate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
712		7446-27-7 Lead Phosphate	IG	50 µg/m ³ PEL	G-A3, I-2B, N-2, CP65
713		7446-34-6 Selenium Sulfide	n.o.s.	N-2, CP65
714		7481-89-2 Zalcitabine	n.o.s.	I-2B
715		7488-51-9 Lead Selenite	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
716		7496-02-8 6-Nitrochrysene	I	n.o.s.	I-2B, N-2, CP65
717	✓	7631-86-9 Silicon Dioxide - [see specific crystalline silica form]	I	0.05 - 0.1 mg/m ³ PEL	I-2A, N-1, CP65
718	✓	7631-89-2 Sodium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
719	✓	7645-25-2 Lead Arsenate, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
720		7646-79-9 Cobalt (II) Chloride	I	0.02 mg/m ³ TLV	G-A3, I-2B

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 19 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
721	7718-54-9	✓ Nickel Chloride [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
722	7723-14-0	✓ Phosphorus (as ³² P, as phosphate)		n.o.s.	I-1
723	7758-01-2	Potassium Bromate		n.o.s.	I-2B, CP65
724	7758-95-4	Lead Chloride	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
725	7758-97-6	✓ C.I. Pigment Yellow 34, as Cr ⁶⁺	I	12 µg/m ³ TLV	G-A2, I-1, N-1, CP65
726	7758-97-6	✓ Lead Chromate, as Cr ⁶⁺	I	12 µg/m ³ TLV	G-A2, I-1, N-1, CP65
727	7759-01-5	Lead Tungstate (VI)	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
728	7774-41-6	✓ Arsenic Acid Hemihydrate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
729	7775-11-3	✓ Sodium Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
730	7778-39-4	✓ o-Arsenic Acid	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
731	7778-43-0	✓ Disodium Arsenite	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
732	7778-44-1	✓ Calcium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
733	7778-50-9	✓ Potassium Dichromate , as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
734	7783-46-2	Lead Fluoride	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
735	7783-59-7	Lead Tetrafluoride	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
736	7784-01-2	✓ Silver Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
737	7784-02-3	✓ Silver Dichromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
738	7784-33-0	✓ Arsenic Tribromide	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
739	7784-34-1	✓ Arsenic Trichloride	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
740	7784-35-2	✓ Arsenic Trifluoride	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
741	7784-40-9	✓ Lead Arsenate, as As ³⁺	IG	10 µg/m ³ PEL	O, I-1, N-1, CP65
742	7784-41-0	✓ Potassium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
743	7784-45-4	✓ Arsenic Triiodide	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
744	7784-46-5	✓ Sodium Arsenite	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
745	7785-24-2	✓ Cobalt (II) Arsenate, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
746	7786-81-4	✓ Nickel Sulfate [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
747	7787-46-4	✓ Beryllium Bromide	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
748	7787-47-5	✓ Beryllium Chloride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
749	7787-49-7	✓ Beryllium Fluoride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
750	7787-50-0	✓ Beryllium Potassium Fluoride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
751	7787-52-2	✓ Beryllium Hydride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
752	7787-53-3	✓ Beryllium Iodide	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
753	7787-55-5	✓ Beryllium Nitrate Trihydrate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
754	7787-56-6	✓ Beryllium Sulfate Tetrahydrate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
755	7788-98-9	✓ Ammonium Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
756	7789-00-6	✓ Potassium Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
757	7789-01-7	✓ Lithium Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
758	7789-04-0	✓ Chromium Phosphate, as Cr ⁶⁺ [water-soluble]		0.05 mg/m ³ TLV	N-1, CP65
759	7789-06-2	✓ Strontium Chromate, as Cr ⁶⁺	I	0.5 µg/m ³ TLV	G-A2, I-1, N-1, CP65
760	7789-09-5	✓ Ammonium Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 20 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
761	7789-10-8	✓ Mercuric Dichromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
762	7789-10-8	✓ Mercury (II) Dichromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
763	7789-42-6	✓ Cadmium Bromide	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
764	7789-43-7	Cobalt (II) Bromide	I	0.02 mg/m ³ TLV.	G-A3, I-2B
765	7790-79-6	✓ Cadmium Fluoride	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
766	7790-80-9	✓ Cadmium Iodide	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
767	7790-85-4	✓ Cadmium Tungstate (VI)	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
768	7791-13-1	Cobalt (II) Chloride Hexahydrate	I	0.02 mg/m ³ TLV.	G-A3, I-2B
769	8001-35-2	Polychlorinated Camphene	S	0.5 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
770	8001-35-2	Toxaphene	S	0.5 mg/m ³ PEL	G-A3, I-2B, N-2, CP65
771	8001-58-9	✓ Creosotes (coal)	IS	n.o.s.	I-2A, N-1, CP65
772	8002-05-9	✓ Mineral Oil (untreated/poorly and mildly refined/treated)	ISG	0.2 mg/m ³ TLV ^E (inhalable particulate)	G-A2 ^E , I-1, N-1, CP65
773	8005-36-5	✓ C.I. Pigment Red 104, as Cr ⁶⁺	I	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
774	8005-36-5	✓ Molybdenum Orange, as Cr ⁶⁺	I	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
775	8006-61-9	Gasoline		300 ppm TLV {890 mg/m ³ }	G-A3, I-2B
776	8007-45-2	✓ Coal Tars	I	n.o.s.	I-1, N-1
777	8012-54-2	✓ Donovan's Solution, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
778	8018-01-7	Mancozeb		n.o.s.	CP65
779	8021-39-4	✓ Creosotes (wood)	IS	n.o.s.	N-1, CP65
780	8024-75-9	✓ Arsenical Dip	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
781	8049-64-7	✓ Lead Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV.	G-A1, I-1, N-1, CP65
782	8052-42-4	Asphalt (Petroleum) Fumes	I	0.5 mg/m ³ TLV	I-2B, CP65
783	8052-42-4	Bitumen (extracts of steam-refined and air-refined)	I	0.5 mg/m ³ TLV	I-2B, CP65
784	9000-07-1	Carrageenan, degraded		n.o.s.	I-2B
785	9004-66-4	Iron Dextran Complex		n.o.s.	I-2B, N-2, CP65
786	9006-42-2	Metiram		n.o.s.	CP65
787	10026-17-2	Cobalt (II) Fluoride	I	0.02 mg/m ³ TLV.	G-A3, I-2B
788	10026-18-3	Cobalt (III) Fluoride	I	0.02 mg/m ³ TLV.	G-A3, I-2B
789	10026-22-9	Cobalt (II) Nitrate Hexahydrate	I	0.02 mg/m ³ TLV.	G-A3, I-2B
790	10026-24-1	Cobalt Sulfate Heptahydrate	I	0.02 mg/m ³ TLV.	G-A3, I-2B, CP65
791	10028-18-9	✓ Nickel Fluoride [water soluble]	I	0.1 mg/m ³ TLV.	G-A4, I-1, N-1, CP65
792	10031-13-7	✓ Lead Arsenite, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
793	10031-22-8	Lead Bromide	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
794	10034-93-2	Hydrazine Sulfate		n.o.s.	N-2, CP65
795	10039-31-3	✓ Beryllium Selenate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
796	10042-84-9	Nitrilotriacetic Acid , Sodium Salt (unspecified)	I	n.o.s.	I-2B, N-2, CP65
797	10043-92-2	✓ Radon (as ²²² Rn, and its decay products)	IG	0.2–0.7 pCi/L EPA {indoor < outdoor}	I-1, N-1
798	10048-13-2	Sterigmatocystin		n.o.s.	I-2B, CP65
799	10048-95-0	✓ Disodium Arsenate Heptahydrate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
800	10048-95-0	✓ Disodium Hydrogen Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 21 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
801	10099-74-8		Lead Nitrate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
802	10099-79-3		Lead Vanadate (V)	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
803	10101-63-0		Lead Iodide	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
804	10101-94-7		Lead Sodium Thiosulfate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
805	10102-48-4	✓	Lead Arsenate, as As ³⁺	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
806	10102-53-1	✓	<i>m</i> -Arsenic Acid	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
807	10103-50-1	✓	Magnesium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
808	10103-62-5	✓	Calcium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
809	10108-64-2	✓	Cadmium Chloride	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
810	10124-36-4	✓	Cadmium Sulfate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
811	10124-43-3		Cobalt (II) Sulfate	I	0.02 mg/m ³ TLV	G-A3, I-2B
812	10141-05-6		Cobalt (II) Nitrate	I	0.02 mg/m ³ TLV	G-A3, I-2B
813	10190-55-3		Lead Molybdate (VI)	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
814	10210-64-7	✓	Beryllium Acetylacetone	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
815	10210-68-1		Cobalt Carbonyl, as Co	I	0.1 mg/m ³ TLV	I-2B
816	10210-68-1		Dicobalt Octacarbonyl, as Co	I	0.1 mg/m ³ TLV	I-2B
817	10214-39-8		Lead Borate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
818	10290-12-7	✓	Cupric Arsenite	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
819	10294-40-3	✓	Barium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
820	10294-47-0		Lead Chlorate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
821	10294-52-7	✓	C.I. Pigment Yellow 45, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
822	10294-52-7	✓	Ferric Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
823	10294-52-7	✓	Iron (III) Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
824	10294-53-8	✓	Iron (III) Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
825	10294-58-3		Lead Hypophosphite	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
826	10325-94-7	✓	Cadmium Nitrate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
827	10381-36-9	✓	Nickel Phosphate	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
828	10418-03-8		Stanozolol	n.o.s.		CP65
829	10540-29-1	✓	Tamoxifen (and its salts)	n.o.s.		I-1, N-1, CP65
830	10588-01-9	✓	Sodium Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
831	10595-95-6		N-Nitrosomethylethylamine	n.o.s.		I-2B, CP65
832	11056-06-7		Bleomycins	n.o.s.		I-2B
833	11096-82-5		Aroclor® 1260 {PCBs}	S	n.o.s.	N-2, CP65
834	11097-69-1		Aroclor® 1254 {PCBs}	S	0.5 mg/m ³ PEL	G-A3, I-2A, N-2, CP65
835	11097-69-1		Chlorodiphenyl (54% chlorine) {PCBs}	S	0.5 mg/m ³ PEL	G-A3, I-2A, N-2, CP65
836	11103-86-9	✓	Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
837	11113-74-9	✓	Nickel Hydroxide [water soluble]	I	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
838	11114-92-4	✓	Cobalt Chromium Alloy, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
839	11133-98-5	✓	Beryllium-Copper Alloy, as Be fume or dust	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
840	12000-34-9	✓	Barium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs®, IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.

^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 22 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
841	12001-28-4	✓	Crocidolite	I	0.1 f/cc PEL	O, G-A1, I-1, N-1
842	12001-29-5	✓	Chrysotile	I	0.1 f/cc PEL	O, G-A1, I-1, N-1
843	12002-03-8	✓	Copper (II) Acetoarsenite	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
844	12002-03-8	✓	Cupric Acetoarsenite	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
845	12016-80-7		Cobalt (III) Oxide Monohydrate	I	0.02 mg/m ³ TLV	G-A3, I-2B
846	12018-32-5	✓	Sodium Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
847	12035-72-2	✓	Nickel Subsulfide	I	0.1 mg/m ³ TLV	G-A1, I-1, N-1, CP65
848	12054-48-7	✓	Nickel Hydroxide	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
849	12069-68-0		Cobalt (II) Carbonate Hydroxide (1:1)	I	0.02 mg/m ³ TLV	G-A3, I-2B
850	12125-56-3	✓	Nickel Hydroxide	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
851	12161-82-9	✓	Bertrandite	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
852	12161-82-9	✓	Beryllium Silicate Hydrate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
853	12172-73-5	✓	Amosite	I	0.1 f/cc PEL	O, G-A1, I-1, N-1
854	12174-11-7		Attapulgite (long fibers, > 5 µm)	I	n.o.s.	I-2B, CP65
855	12174-11-7		Palygorskite (long fibers, > 5 µm)	I	n.o.s.	I-2B, CP65
856	12206-12-1	✓	Zinc Chromate Hydroxide, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
857	12213-61-5	✓	C.I. Pigment Red 104, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
858	12213-61-5	✓	Molybdenum Orange, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
859	12231-18-4	✓	Barium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
860	12324-05-9	✓	Chromic Acid, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
861	12324-05-9	✓	Chromium Oxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
862	12324-05-9	✓	Chromium Trioxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
863	12324-08-2	✓	Chromic Acid, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
864	12324-08-2	✓	Chromium Oxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
865	12324-08-2	✓	Chromium Trioxide, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
866	12427-38-2		Maneb		n.o.s.	CP65
867	12510-42-8	✓	Erionite	I	n.o.s.	I-1, N-1, CP65
868	12527-08-1	✓	Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
869	12602-23-2		Cobalt (II) Carbonate Hydroxide (2:3)	I	0.02 mg/m ³ TLV	G-A3, I-2B
870	12607-70-4	✓	Nickel Carbonate Hydroxide	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
871	12656-85-8	✓	C.I. Pigment Red 104, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
872	12656-85-8	✓	Molybdenum Orange, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
873	12685-29-9	✓	Cadmium-Copper Alloy, cadmium nonbase	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
874	12709-98-7	✓	C.I. Pigment Red 104, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
875	12709-98-7	✓	Molybdenum Orange, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
876	12770-50-2	✓	Beryllium-Aluminum Alloy, as Be fume or dust	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
877	12789-03-6		Chlordane (technical grade)	S	0.5 mg/m ³ TLV	G-A3, I-2B
878	13007-92-6	✓	Chromium Carbonyl, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
879	13010-47-4		CCNU		n.o.s.	I-2A, N-2, CP65
880	13010-47-4		1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea		n.o.s.	I-2A, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 23 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
881	13010-47-4		Lomustine		n.o.s.	I-2A, N-2, CP65
882	13106-47-3	✓	Beryllium Carbonate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
883	13138-45-9	✓	Nickel Nitrate [water soluble]	<i>I</i>	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
884	13194-48-4		Ethoprop		n.o.s.	CP65
885	13256-22-9		N-Nitrososarcosine		n.o.s.	I-2B, N-2, CP65
886	13327-32-7	✓	Beryllium Hydroxide	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
887	13423-61-5	✓	Magnesium Chromate, as Cr ⁶⁺ [water soluble]	<i>I</i>	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
888	13424-46-9		Lead Azide	<i>IG</i>	50 µg/m ³ PEL	G-A3, I-2B, CP65
889	13444-75-2	✓	Mercuric Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
890	13444-75-2	✓	Mercury (II) Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
891	13446-72-5	✓	Rubidium Chromate, as Cr ⁶⁺ [water soluble]	<i>I</i>	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
892	13446-73-6	✓	Rubidium Dichromate, as Cr ⁶⁺ [water soluble]	<i>I</i>	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
893	13453-35-5	✓	Thallium Dichromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
894	13454-78-9	✓	Cesium Chromate, as Cr ⁶⁺ [water soluble]	<i>I</i>	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
895	13455-25-9		Cobalt (II) Chromate (III)	<i>I</i>	0.02 mg/m ³ TLV	G-A3, I-2B
896	13455-36-2		Cobalt (II) Phosphate	<i>I</i>	0.02 mg/m ³ TLV	G-A3, I-2B
897	13462-88-9	✓	Nickel Bromide [water soluble]	<i>I</i>	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
898	13462-90-3	✓	Nickel Iodide [water soluble]	<i>I</i>	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
899	13463-39-3	✓	Nickel Carbonyl	<i>I</i>	1 ppb PEL {7 µg/m ³ }	I-1, N-1, CP65
900	13464-35-2	✓	Potassium Arsenite	<i>IG</i>	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
901	13473-75-1	✓	Thallium Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
902	13478-00-7	✓	Nickel (II) Nitrate Hexahydrate, as Ni [water soluble]	<i>I</i>	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
903	13478-93-8	✓	Nickel Dimethylglyoxime	<i>I</i>	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
904	13510-48-0	✓	Beryllium Nitrate Tetrahydrate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
905	13510-49-1	✓	Beryllium Sulfate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
906	13510-89-9		Lead Antimonate (V)	<i>IG</i>	50 µg/m ³ PEL	G-A3, I-2B, CP65
907	13520-61-1	✓	Nickel Perchlorate Hexahydrate [water soluble]	<i>I</i>	0.1 mg/m ³ TLV	G-A4, I-1, N-1, CP65
908	13530-65-9	✓	C.I. Pigment Yellow 36, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
909	13530-65-9	✓	Zinc Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
910	13530-65-9	✓	Zinc Yellow, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
911	13548-42-0	✓	Copper Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
912	13548-42-0	✓	Cupric Chromate, as Cr ⁶⁺	<i>I</i>	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
913	13552-44-8		4,4'-Methylenedianiline Dihydrochloride		n.o.s.	N-2, CP65
914	13596-22-0		Cobalt (II) Potassium Sulfate	<i>I</i>	0.02 mg/m ³ TLV	G-A3, I-2B
915	13597-95-0	✓	Beryllium Perchlorate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
916	13597-99-4	✓	Beryllium Nitrate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
917	13598-00-0	✓	Beryllium Silicate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
918	13598-15-7	✓	Beryllium Phosphate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
919	13598-26-0	✓	Beryllium Phosphate	<i>I</i>	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
920	13654-09-6		Decabromobiphenyl {PBBs}		n.o.s.	N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a CHP / SOP is required under the CHP. ? indicates an evaluation of usage required; a CHP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 24 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
921	13762-14-6	Cobalt (II) Molybdenum (VI) Oxide	I	0.02 mg/m ³ TLV.	G-A3, I-2B
922	13765-19-0	✓ Calcium Chromate, as Cr ⁶⁺	I	1 µg/m ³ TLV	G-A2, I-1, N-1, CP65
923	13770-89-3	✓ Nickel Sulfamate	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
924	13782-01-9	Cobalt (III) Potassium Nitrite	I	0.02 mg/m ³ TLV.	G-A3, I-2B
925	13814-62-5	✓ Cadmium Selenate	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
926	13843-81-7	✓ Lithium Dichromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
927	13871-27-7	✓ Beryllium Sodium Fluoride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
928	13909-09-6	✓ 1-(2-Chloroethyl)-3-(4-methylcyclohexyl)-1-nitrosourea	n.o.s.		I-1, N-1, CP65
929	13909-09-6	✓ MeCCNU	n.o.s.		I-1, N-1, CP65
930	13909-09-6	✓ Methyl-CCNU	n.o.s.		I-1, N-1, CP65
931	13909-09-6	✓ Semustine	n.o.s.		I-1, N-1, CP65
932	13930-94-4	✓ Chromium Carbonyl, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
933	14060-38-9	✓ Arsenious Acid	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
934	14307-35-8	✓ Lithium Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
935	14402-75-6	✓ Cadmium Potassium Cyanide	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
936	14464-46-1	✓ Cristobalite {Silica (respirable) - Crystalline}	I	0.025 mg/m ³ TLV ^H (respirable fraction)	G-A2 ^H , I-1, N-1, CP65
937	14464-46-1	✓ Silica (respirable) - Crystalline {Cristobalite}	I	0.025 mg/m ³ TLV ^H (respirable fraction)	G-A2 ^H , I-1, N-1, CP65
938	14486-19-2	✓ Cadmium Fluoborate		5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
939	14567-73-8	✓ Tremolite [asbestiform]	I	0.1 f/cc PEL	O, G-A1, I-1, N-1
940	14675-41-3	✓ C.I. Pigment Yellow 36, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
941	14675-41-3	✓ Zinc Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
942	14675-41-3	✓ Zinc Yellow, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
943	14808-60-7	✓ Quartz {Silica (respirable) - Crystalline}	I	0.025 mg/m ³ TLV ^H (respirable fraction)	G-A2, I-1, N-1, CP65
944	14808-60-7	✓ Silica (respirable) - Crystalline {Quartz}	I	0.025 mg/m ³ TLV ^H (respirable fraction)	G-A2, I-1, N-1, CP65
945	14901-08-7	Cycasin		n.o.s.	I-2B, CP65
946	14977-61-8	✓ Chromyl Chloride, as Cr ⁶⁺ [water soluble]	I	0.025 ppm TLV {0.16 mg/m ³ }	I-1, N-1, CP65
947	14986-48-2	✓ Chromium Hexachloride, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
948	14986-48-2	✓ Chromium [VI] Chloride	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
949	15120-17-9	Sodium Arsenate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
950	15190-21-3	✓ Thallium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
951	15191-85-2	✓ Beryllium Silicate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
952	15194-98-6	✓ Calcium Arsenite, 2:1	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
953	15238-00-3	Cobalt (II) Iodide	I	0.02 mg/m ³ TLV	G-A3, I-2B
954	15467-20-6	Nitrilotriacetic Acid, Disodium Salt	I	n.o.s.	I-2B, N-2, CP65
955	15468-32-3	✓ Silica (respirable) - Crystalline {Tridymite}	I	0.05 mg/m ³ PEL	I-2A, N-1, CP65
956	15468-32-3	✓ Tridymite {Silica (respirable) - Crystalline}	I	0.05 mg/m ³ PEL	I-2A, N-1, CP65
957	15541-45-4	Bromate		n.o.s.	CP65
958	15663-27-1	Cisplatin		n.o.s.	I-2A, N-2, CP65
959	15930-94-6	✓ Zinc Chromate Hydroxide, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
960	15972-60-8	Alachlor		n.o.s.	CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 25 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
961	16071-86-6		Direct Brown 95 (technical grade)	n.o.s.		I-2A, CP65
962	16543-55-8		N'-Nitrosonornicotine	n.o.s.		I-2B, N-2, CP65
963	16565-95-0	✓	Neodymium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
964	16565-96-1	✓	Samarium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
965	16568-02-8		Acetaldehyde Methylformylhydrazone	n.o.s.		CP65
966	16568-02-8		Gyromitrin	n.o.s.		CP65
967	16569-87-2	✓	Neodymium Chromate Heptahydrate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
968	16680-47-0	✓	Sodium Equulin Sulfate	n.o.s.		N-1
969	16842-03-8		Cobalt Hydrocarbonyl, as Co	I	0.1 mg/m ³ TLV	I-2B
970	17440-85-6	✓	Beryllium Borohydride	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
971	17647-74-4		1,4-Dioxane-d ₈	IS	20 ppm TLV {72 mg/m ³ }	G-A3, I-2B, N-2
972	17786-31-1		Tetracobalt Dodecacarbonyl, as Co	I	0.02 mg/m ³ TLV	G-A3, I-2B
973	18454-12-1	✓	Basic Lead Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
974	18454-12-1	✓	Chrome Red, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
975	18454-12-1	✓	Lead Chromate Oxide, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
976	18540-29-9	✓	Chromium (VI) & inorganic Cr ⁶⁺ compounds - [see specific compound]	I	0.5 mg/m ³ TLV	G-A4 (Cr ⁰), I-1, N-1, CP65
977	18662-53-8		Nitrilotriacetic Acid, Trisodium Salt, Hydrate	I	n.o.s.	I-2B, N-2, CP65
978	18883-66-4		Streptozocin	n.o.s.		I-2B, N-2, CP65
979	18883-66-4		Streptozotocin	n.o.s.		I-2B, N-2, CP65
980	18906-50-8	✓	Copper Chromate Oxide, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
981	18994-66-6		Nitrilotriacetic Acid, Monosodium Salt	I	n.o.s.	I-2B, N-2, CP65
982	19049-40-2	✓	Beryllium Acetate, Basic	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
983	19666-30-9		Oxadiazon	n.o.s.		CP65
984	20265-96-7		p-Chloroaniline Hydrochloride	n.o.s.		CP65
985	20325-40-0		o-Dianisidine Dihydrochloride	n.o.s.		N-2, CP65
986	20325-40-0		3,3'-Dimethoxybenzidine Dihydrochloride	n.o.s.		N-2, CP65
987	20830-81-3		Daunomycin	n.o.s.		I-2B, CP65
988	21041-93-0		Cobalt (II) Hydroxide	I	0.02 mg/m ³ TLV	G-A3, I-2B
989	21041-95-2	✓	Cadmium Hydroxide	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
990	21739-91-3		Cytembena	n.o.s.		CP65
991	22398-80-7		Indium Phosphide		0.1 mg/m ³ TLV	CP65
992	22506-53-2		3,9-Dinitrofluoranthene	n.o.s.		I-2B, CP65
993	22534-09-4	✓	Thallium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
994	23214-92-8		Adriamycin®	n.o.s.		I-2A, N-2, CP65
995	23214-92-8		Doxorubicin Hydrochloride	n.o.s.		I-2A, N-2, CP65
996	23246-96-0		Riddelliine	n.o.s.		I-2B
997	23255-03-0		Nitrilotriacetic Acid, Disodium Salt, Hydrate	I	n.o.s.	I-2B, N-2, CP65
998	23950-58-5		Pronamide	n.o.s.		CP65
999	24613-89-6	✓	Chromic Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1000	25013-16-5		BHA	n.o.s.		I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs®, IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.

^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 26 of 29

CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
1001		25013-16-5 Butylated Hydroxyanisole	n.o.s.		I-2B, N-2, CP65
1002		25808-74-6 Lead Hexafluorosilicate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
1003		25812-30-0 Gemfibrozil	n.o.s.		CP65
1004		25962-77-0 <i>trans</i> -2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole	n.o.s.		I-2B
1005		26148-68-5 A-alpha-C(2-Amino-9H-pyrido[2,3- <i>b</i>]indole)	n.o.s.		I-2B, CP65
1006		26471-62-5 Toluene Diisocyanate	n.o.s.		I-2B, N-2, CP65
1007	✓	27152-57-4 Calcium Arsenite, 2:3	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
1008		28407-37-6 C.I. Direct Blue 218	n.o.s.		CP65
1009		28434-86-8 3,3'-Dichloro-4,4'-diaminodiphenyl Ether	n.o.s.		I-2B, CP65
1010		29191-52-4 <i>o</i> -Anisidine	S	0.5 mg/m ³ PEL {0.1 ppm}	G-A3, I-2B
1011	✓	29689-14-3 Chromium Carbonate, as Cr ⁶⁺ [water-soluble]		0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1012		29767-20-2 Teniposide	n.o.s.		I-2A
1013		30516-87-1 AZT	n.o.s.		I-2B
1014		30516-87-1 Zidovudine	n.o.s.		I-2B
1015	✓	30525-89-4 Paraformaldehyde	IA	C 0.3 ppm TLV {C 0.37 mg/m ³ }	O, G-A2, I-2A, N-2
1016		32809-16-8 Procymidone	n.o.s.		CP65
1017		33419-42-0 Etoposide	n.o.s.		I-2A
1018	✓	33419-42-0 Etoposide (in combination with cisplatin and bleomycin)	n.o.s.		I-1
1019		34018-28-5 Lead Bromate	IG	50 µg/m ³ PEL	G-A3, I-2B, CP65
1020		34256-82-1 Acetochlor	n.o.s.		CP65
1021		34465-46-8 Hexachlorodibenzodioxin	n.o.s.		CP65
1022	✓	35089-00-0 Beryllium Phosphate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1023		36355-01-8 Hexabromobiphenyl {PBBs}	n.o.s.		N-2
1024		36734-19-7 Iprodione	n.o.s.		CP65
1025	✓	37227-61-5 Beryllium-Nickel Alloy, as Be fume or dust [also see Ni]	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1026	✓	37227-61-5 Nickel-Beryllium Alloy, as Ni fume or dust [also see Be]	I	0.2 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1027	✓	37235-82-8 Basic Bismuth Dichromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1028	✓	37300-23-5 C.I. Pigment Yellow 36, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1029	✓	37300-23-5 Zinc Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1030	✓	37300-23-5 Zinc Yellow, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1031		37317-41-2 Kanechlor® 500 {PCBs}	n.o.s.		N-2, CP65
1032	✓	37364-06-0 Cadmium-Copper Alloy, copper base	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
1033	✓	37809-34-0 Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1034		38252-74-3 N-Nitroso- <i>n</i> -butyl-N-(3-carboxypropyl)amine	n.o.s.		N-2
1035	✓	38455-77-5 Stannic Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1036	✓	38455-77-5 Tin (IV) Chromate, as Cr ⁶⁺ [water soluble]	I	0.05 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1037		39156-41-7 2,4-Diaminoanisole Sulfate	n.o.s.		N-2, CP65
1038	✓	39413-47-3 Beryllium Zinc Silicate, as Be	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1039	✓	39413-47-3 Zinc Beryllium Silicate, as Be	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1040		42397-64-8 1,6-Dinitropyrene	I	n.o.s.	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs®, IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.

^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 27 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
1041	42397-65-9		1,8-Dinitropyrene	I	n.o.s.	I-2B, N-2, CP65
1042	50471-44-8		Vinclozolin		n.o.s.	CP65
1043	51264-14-3		Amsacrine		n.o.s.	I-2B
1044	51839-24-8		Cobalt (II) Carbonate Hydroxide (2:3) Monohydrate	I	0.02 mg/m ³ TLV	G-A3, I-2B
1045	52740-16-6	✓	Calcium Arsenite, 1:1	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
1046	53469-21-9		Chlorodiphenyl (42% chlorine) {PCBs}	S	1 mg/m ³ PEL	I-2A, CP65
1047	53684-48-3	✓	Beryllium Potassium Sulfate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1048	53973-98-1		Polygeenan		n.o.s.	CP65
1049	54322-60-0	✓	Strontium Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1050	54692-53-4	✓	Basic Lead Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1051	54692-53-4	✓	C.I. Pigment Orange 21, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1052	54749-90-5		Chlorozotocin		n.o.s.	I-2A, N-2, CP65
1053	55158-44-6	✓	Beryllium-Copper-Cobalt Alloy, as Be fume or dust	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1054	55738-54-0		<i>trans</i> -2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole		n.o.s.	CP65
1055	57486-12-1	✓	C.I. Pigment Yellow 36, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1056	57486-12-1	✓	Zinc Chromate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1057	57486-12-1	✓	Zinc Yellow, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1058	57835-92-4		4-Nitropyrene	I	n.o.s.	I-2B, N-2, CP65
1059	58477-24-0	✓	Samarium Chromate Heptahydrate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1060	58500-38-2	✓	Beryllium Silicate	I	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1061	58569-17-8	✓	Samarium Chromate Dihydrate, as Cr ⁶⁺	I	0.01 mg/m ³ TLV	G-A1, I-1, N-1, CP65
1062	59536-65-1		Firemaster BP-6 {PBBs}		n.o.s.	I-2B, N-2, CP65
1063	59536-65-1		Polybrominated Biphenyls {PBBs}		n.o.s.	I-2B, N-2, CP65
1064	59669-26-0		Thiodicarb		n.o.s.	CP65
1065	59865-13-3	✓	Ciclosporin		n.o.s.	I-1, N-1, CP65
1066	59865-13-3	✓	Ciclosporine		n.o.s.	I-1, N-1, CP65
1067	59865-13-3	✓	Cyclosporin A		n.o.s.	I-1, N-1, CP65
1068	60153-49-3		3-(N-Nitrosomethylamino)propionitrile		n.o.s.	I-2B, CP65
1069	60391-92-6		N-Carboxymethyl-N-nitrosourea		n.o.s.	CP65
1070	60568-05-0		Furmecyclox		n.o.s.	CP65
1071	61288-13-9		Octabromobiphenyl {PBBs}		n.o.s.	N-2, CP65
1072	61789-51-3		Cobalt (II) Naphthenate	I	0.02 mg/m ³ TLV	G-A3, I-2B
1073	62450-06-0		Trp-P-1(3-Amino-1,4-dimethyl-5H-pyrido[4,3- <i>b</i>]indole)		n.o.s.	I-2B, CP65
1074	62450-06-0		Trp-P-1(Tryptophan-P-1)		n.o.s.	I-2B, CP65
1075	62450-07-1		Trp-P-2(3-Amino-1-methyl-5H-pyrido[4,3- <i>b</i>]indole)		n.o.s.	I-2B, CP65
1076	62450-07-1		Trp-P-2(Tryptophan-P-2)		n.o.s.	I-2B, CP65
1077	62476-59-9		Acifluorfen		n.o.s.	CP65
1078	63449-39-8		Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine)		n.o.s.	I-2B, N-2
1079	64070-83-3	✓	Trisodium Arsenate Heptahydrate	IG	10 µg/m ³ PEL	O, G-A1, I-1, N-1, CP65
1080	64091-91-4		4-(N-Nitrosomethylamino)-1-(3-pyridyl)-1-butane		n.o.s.	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 28 of 29

	CASRN	CHP	Carcinogen Name	R/E ^A	PEL/TLV (8 hr. TWA)	Source Agency ^B
1081	64091-91-4		NNK.....		n.o.s.....	I-2B, N-2, CP65
1082	64523-06-4	✓	C.I. Pigment Red 104, as Cr ⁶⁺	I.....	0.01 mg/m ³ TLV.....	G-A1, I-1, N-1, CP65
1083	64523-06-4	✓	Molybdenum Orange, as Cr ⁶⁺	I.....	0.01 mg/m ³ TLV.....	G-A1, I-1, N-1, CP65
1084	65271-80-9		Mitoxantrone.....		n.o.s.....	I-2B
1085	65996-89-6	✓	Coal Tars & Extracts, and high-temp. coal tars	I.....	n.o.s.....	I-1, N-1
1086	65996-93-2	✓	Coal Tar Pitch Volatiles (as benzene solubles).....	I.....	0.2 mg/m ³ PEL.....	G-A1, I-1, N-1
1087	65996-93-2	✓	Particulate Polycyclic Aromatic Hydrocarbons [PPAH].....	I.....	0.2 mg/m ³ PEL.....	G-A1, I-1, N-1
1088	66104-24-3	✓	Beryllium Carbonate	I.....	0.2 µg/m ³ TLV ^C	G-A1, I-1, N-1, CP65
1089	66516-58-3	✓	Zinc Chromate Hydroxide, as Cr ⁶⁺	I.....	0.01 mg/m ³ TLV.....	G-A1, I-1, N-1, CP65
1090	66733-21-9	✓	Erionite	I.....	n.o.s.....	I-1, N-1, CP65
1091	67730-10-3		Glu-P-2(2-Aminodipyrido[1,2-a:3',2'-d]imidazole)		n.o.s.....	I-2B, CP65
1092	67730-11-4		Glu-P-1(2-Amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole).....		n.o.s.....	I-2B, CP65
1093	67774-32-7		Firemaster FF-1 {PBBs}		n.o.s.....	I-2B, N-2, CP65
1094	67774-32-7		Hexabromobiphenyl {PBBs}		n.o.s.....	I-2B, N-2, CP65
1095	67774-32-7		PBBs {Polybrominated Biphenyls}		n.o.s.....	I-2B, N-2, CP65
1096	67774-32-7		Polybrominated Biphenyls {PBBs}		n.o.s.....	I-2B, N-2, CP65
1097	68006-83-7		MeA- <i>alpha</i> -C(2-Amino-3-methyl-9H-pyrido[2,3- <i>b</i>]indole)		n.o.s.....	I-2B, CP65
1098	68308-34-9	✓	Shale Oils.....		n.o.s.....	I-1, CP65
1099	68334-30-5		Diesel Fuel #4.....	S.....	100 mg/m ³ TLV.....	G-A3, I-2B
1100	68334-30-5		Marine Diesel Fuel	S.....	100 mg/m ³ TLV.....	G-A3, I-2B
1101	68476-31-3		Fuel Oil #4		100 mg/m ³ TLV.....	G-A3, I-2B
1102	68476-33-5		Fuel Oil, Residual (Heavy).....		n.o.s.....	I-2B, CP65
1103	68476-33-5		Residual (Heavy) Fuel Oil		n.o.s.....	I-2B, CP65
1104	72490-01-8		Fenoxycarb		n.o.s.....	CP65
1105	76180-96-6		IQ(2-Amino-3-methylimidazo[4,5- <i>f</i>]quinoline).....		n.o.s.....	I-2A, N-2, CP65
1106	77094-11-2		MeIQ (2-Amino-3,4-dimethylimidazo[4,5- <i>f</i>]quinoline)		n.o.s.....	I-2B, CP65
1107	77439-76-0		MX(3-chloro-4-dichloromethyl-5-hydroxy-2(5H)-furanone)		n.o.s.....	CP65
1108	77500-04-0		MeIQx (2-Amino-3,8-dimethylimidazo[4,5- <i>f</i>]quinoxaline)		n.o.s.....	I-2B, CP65
1109	77501-63-4		Lactofen		n.o.s.....	CP65
1110	77536-66-4	✓	Actinolite [asbestiform]	I.....	0.1 f/cc PEL.....	O, G-A1, I-1, N-1
1111	77536-67-5	✓	Anthophyllite [asbestiform]	I.....	0.1 f/cc PEL.....	O, G-A1, I-1, N-1
1112	79217-60-0	✓	Ciclosporin		n.o.s.....	I-1, CP65
1113	79217-60-0	✓	Cyclosporin		n.o.s.....	I-1, CP65
1114	79217-60-0	✓	Cyclosporine		n.o.s.....	I-1, CP65
1115	79748-81-5		Fusarin C		n.o.s.....	CP65
1116	82410-32-0		Ganciclovir Sodium		n.o.s.....	CP65
1117	86290-81-5		Gasoline		300 ppm TLV {890 mg/m ³ }	G-A3, I-2B
1118	105650-23-5		PhIP (2-Amino-1-methyl-6-phenylimidazo[4,5- <i>b</i>]pyridine)		n.o.s.....	I-2B, CP65
1119	105735-71-5		3,7-Dinitrofluoranthene		n.o.s.....	I-2B, CP65
1120	108171-26-2		Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine)		n.o.s.....	I-2B, N-2, CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^C ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL

2004 CASRN-Sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS

University of California Carcinogens Reference List

Page 29 of 29

	<u>CASRN</u>	<u>CHP</u>	<u>Carcinogen Name</u>	<u>R/E^A</u>	<u>PEL/TLV (8 hr. TWA)</u>	<u>Source Agency^B</u>
1121	111406-87-2		Zileuton.....	n.o.s.		CP65
1122	113852-37-2		Cidofovir.....	n.o.s.		CP65
1123	116355-83-0		Fumonisins B ₁	n.o.s.		I-2B, CP65
1124	132295-56-8	✓	Cadmium-Copper Alloy, copper alloy, base, Cu>99.75%	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
1125	132295-57-9	✓	Cadmium-Copper Alloy, copper alloy, base, Cu>99.60%	I	5 µg/m ³ PEL {2 µg/m ³ respirable TLV}	O, G-A2, I-1, N-1, CP65
1126	141112-29-0		Isoxaflutole.....	n.o.s.		CP65

^A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection. [Italics indicates primary route.]^B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.Source publications/dates: OSHA - most recent CFR; ACGIH - 2003 TLVs[®]; IARC - 28 April 2004 update; NTP - 10th Report on Carcinogens; CP65 - 16 April 2004.^c ACGIH Notice of Intended Changes for 1999. ^E ... for 2001. ^G ... for 2003. ^H ... for 2004.

CHP: indicates a HCP / SOP is required under the CHP. ? indicates an evaluation of usage required; a HCP / SOP may be required under the CHP.

Last Revision: 17 May 2004

Prepared by: Jeffrey Schinkel, LANL